

June 2007
U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the U.S. Army Medical Materiel Agency, Materiel Acquisition Directorate, Acute Care Division, Fort Detrick, MD

This manual is still in draft form and may contain inaccuracies. To report inaccuracies or additions, please contact 301-619-4301/4316, DSN 343 4301/4316, or at <u>USAMMACRM@amedd.army.mil</u> Responses may also be mailed to:

Commander U.S. Army Medical Materiel Agency MCMR-MM0-AC 1423 Sultan Drive, Suite 100 Fort Detrick, MD 21702-5001

# NOTE: CLICK ON TITLE FOR DIRECT LINK

### **TABLE OF CONTENTS**

SECTION NO.	<u>DEVICE</u>	<u>NSN</u>	PAGE NO.
1	Analyzer Blood Gas W/Hard Case I-Stat	(J) 6630-01-526-7377	1
2	Blanket Hypothermia Chillbuster	(J) 6515-01-500-6087	<b>7</b>
3	Blood-Fluid Warmer Sys Disp 9"X 2.8"X .95"		
	Thermal Angel	(J) 6515-01-500-3521	11
4	Concentrator Oxygen	(J) 6515-01-434-4629	19
5	<b>Defibrillator, Monitor Recorder</b>	(J) 6515-01-515-4197	23
6	<b>Doppler Ultrasound Flow Detector</b>	(L) 6515-01-293-5578	31
7	Electrosurgical Apparatus, Conmed	(J) 6515-01-532-3321	33
8	Fixator, Hoffman II, External	(L) 6515-01-464-0077	43
9	Fixation External Peel Pack	(L) 6515-01-463-1464	<b>47</b>
10	Fluid Warming System, Belmont	(J) 6515-01-465-2059	<b>49</b>
11	Incubator Auto Read	(J) 6530-01-510-4685	<b>55</b>
12	Laryngoscope Set Fiber Optic	(J) 6515-01-526-4240	<b>59</b>
13	Light Head General Purpose Welch Allyn	(L) 6230-01-520-3474	<b>63</b>
14	Monitor Oxygen	(L) 6515-01-440-9394	<b>67</b>
15	Monitor Vital SignsW/SPO <sup>2</sup>	(J) 6515-01-432-2707	<b>71</b>
16	Monitor Patient Vital Signs W/SPO <sup>2</sup> /WCAP	(J) 6515-01-432-2711	<b>79</b>
<b>17</b>	Otoscope & Ophthalmoscope Set	(D) 6515-01-333-3165	91
18	Patient Warming Unit Bair Hugger	(L) 6530-01-463-6823	95
19	Pump, Infusion, Alaris	(J) 6515-01-486-4310	99
<b>20</b>	Refrigerator Blood Cooling & Storage	(J) 4110-01-506-0895	101
<b>21</b>	Sink Unit Surgical Scrub and Utensil Hospital	(L) 6530-01-429-6715	105
22	Sterilizer Surgical	(J) 6530-01-531-4807	<b>107</b>
<b>23</b>	Stimulator Peripheral Nerve Blockade	(J) 6515-01-397-5212	111
24	Suction Apparatus, Surgical 326M	(J) 6515-01-435-0050	115
25	Table Operating Field	(L) 6530-01-321-5592	119
<b>26</b>	Thermometer, Tympanic	(L) 6515-01-440-5976	141
<b>27</b>	Tourniquet System Pneumatic	(J) 6515-01-481-0925	141
<b>28</b>	Ultrasound, Portable 180 Sonosite	(J) 6525-01-503-7182	147
<b>29</b>	Vaporizer Anesthesia Drawover	(J) 6515-01-355-6479	159
30	Ventilator Volume Portable 754M	(J) 6530-01-464-0267	163

#### ANALYZER BLOOD GAS W/HARD CASE I-STAT TOC

### ABBOTT LABORATORIES INC MODEL # 04J48-20

Manufacturer's Phone: (609) 443-9300 FAX: (609) 443-9310

Website: <a href="http://www.abbott.com">http://www.abbott.com</a>

AAC "J" ITEM NSN 6630-01-526-7377

UA's: 3263, 3267, 5267, 4905, N303, N503, N703, 4912, 9410

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$11,589.07** 

**System Description:** Point-of-use blood analyzer for the measurement of blood gases and electrolytes. Utilizes 2 to 3 drops of fresh whole blood in a disposable test cartridge that is inserted into the handheld analyzer. The cartridge self-calibrates miniaturized sensors upon insertion into the analyzer. Results are displayed in less than 2 minutes. Records and automatically stored (up to 50) for printing and/or transmission. A daily quality control of less than 60 seconds is required. Upon completion, all blood and calibrant fluid is contained within the cartridge for safe bio-hazard disposal.

### **Tests performed:**


- 1) Glu Glucose
- 2) pH-
- 3)  $pCO_2$
- 4) Bicarbonate
- 5) Total carbon dioxide
- 6) Base excess
- 7) Sodium
- 8) Potassium
- 9) Chloride
- 10) Urea nitrogen
- 11) Hematocrit
- 12) Hemoglobin
- 13) Anion

#### **Features:**

- Point-of-use capability.
- Weight reduction (GEM STAT – 27 lbs, i-STAT – 18 oz).
- Battery backup (12 VDC).
- Extensive array of cartridge-based panels.
- Small sample size (GEM STAT 0.5 ml, I-STAT 65 μL).

# NOTE: NEW SOFTWARE UPDATES ARE REQUIRED PRIOR TO EACH DEPLOYMENT.





### i-STAT PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Analyzer Dimensions	Height, in.	8.26
	Width, in.	2.52
	Depth, in.	2.05
Weight, oz.	18.34	
<b>Analyzer Operating Temperature</b>	64° to 86°F	
<b>Analyzer Transport Temperature</b>	14° to 122°F	
<b>Humidity Non-condensing</b>	0 to 90%	
Power Requirements	Two 9-volt batteries	

# i-STAT ACCESSORIES (START-UP) PACKAGE

NSN	NOTES	Nomenclature	PN	QTY		Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
NON	NOTES	ELECTRONIC SIMULATOR OUALITY CONTROL TEST	FIN	QII	UI	FIICE	FIICE	WIFG	More than 60	T/IN	weeks
6630014222097	Included w/ NSN	CLINICAL ANALYZER PRINTER ANALYZER	06F11-01	1	EA	\$425.25	\$425.25	ABBOTT LABS	days	N	3
6630015264091	Included w/ NSN	PORTABLE	06F2391	1	EA	\$291.20	\$291.20	ABBOTT LABS	Indef.	N	3
		PAPER RECORDING CLINICAL ANALYZER USE W/HEWLETT PACKARD					***				
6640014195698	Included w/ NSN	PTBL 6S	06F17-11	1	6PG	·		ABBOTT LABS	Indef.	N	3
6630015263620	Included w/ NSN	Dowloader/Recharger Serial	06F23-45	1	EA	\$546.25	\$546.25	ABBOTT LABS	Indef.	N	3
6630015243128	Included w/ NSN	CARTRIDGE CERAMIC IST	04J51-01	1	EA	\$1.00	\$1.00	ABBOTT LABS	Indef.	N	3
6630015264091	Included w/ NSN	PRINTER ANALYZER PORTABLE	06F23-91	1	EA	\$291.20	\$291.20	ABBOTT LABS	Indef.	N	3
6135014217168	Included w/ NSN	BATTERY 9 VOLT NONRECHARGEABLE USED IN HAND-HELD BLOOD GAS ANALYZER	6F2126	1	6PG	\$\$70.00	\$70.00	I-STAT CORP	Indef.	N	3
6630015264098	Included w/ NSN	BATTERY ANALYZER RECHARGEABLE	06F23-55	1	EA	\$42.96	\$42.96	ABBOTT LABS	Indef.	N	3
6630015264102	Included w/ NSN	CARRY CASE ANALYZER	06F16-79	1			·	ABBOTT LABS	Indef.	N	3
7610015074390	Included w/ NSN	MANUAL TECHNICAL OPERATOR'S MANUAL	06F16-30	1	EA	\$25.00		ABBOTT LABS	Indef.	N	3
6630014878851	Included w/ NSN	KIT PC DOWNLOAD	06F22-16	1	EA	\$350.00	\$350.00	I-STAT CORP	Indef	N	3
7610015225863	Included w/ NSN	SYSTEM MANUAL (MODEL 200)	06F20-01	1	EA	\$78.75	\$78.75	ABBOTT LABS	Indef.	N	3
5975014195735	Included w/ NSN	ADAPTER, AC/DC, PORTABLE PRINTER	06F17-12	1	EA	\$17.190	\$17.19	ABBOTT LABS	Indef.	N	3
7610015225865	Included w/ NSN	IMPLEMENTATION GUIDE	63400	1	EA	\$1.00	\$1.00	ABBOTT LABS	Indef.	N	3
6630015221706	Included w/ NSN	HARDENED CASE	06F16-77	1	EA	\$1,716.77	\$1,716.77	ABBOTT LABS	Indef.	N	3
6550014318279	IN THE UA ORDER PRIOR TO DEPLOYMENT	CONTROL BLD CHEM U/W G E3+ G3+ EC4+ 6+ EG6+ EC6+ & EC8 1.7ML	06F12-01	1	PG	\$27.48	\$27.48	ABBOTT LABS	6	Y	3
6550014323696	IN THE UA ORDER PRIOR TO DEPLOYMENT	CONTROL BLD CHEM USE W/G E3+ G3+ EC4+ 6+ EG6+ EC6+ EC8 1.7ML	06F14-01	1	PG	\$11.85	\$11.85	ABBOTT LABS	6	Y	3
6550014760354	IN THE UA ORDER PRIOR TO DEPLOYMENT	CONTROL BLD CHEM WHL BLD GLUCOSE	310L	1	PG	\$35.50	\$35.50	I-STAT CORP	6	Y	3
6550014760358	IN THE UA ORDER PRIOR TO DEPLOYMENT	CONTROL BLOOD CHEM WHOLE BLD GLUCOSE	310H	1	PG	\$35.50	\$35.50	I-STAT CORP	6	Y	3
6550014338681	IN THE UA ORDER PRIOR TO DEPLOYMENT	TEST PACK SOD POTASSIUM K BLD UREA NITROGEN GLUCOSE&HEMATOCRIT	06F05-01	5	PG		\$2189.05	ABBOTT LAB	2	Y	3
6550014199475	IN THE UA ORDER PRIOR TO DEPLOYMENT	TEST PACK SODIUM K IONIZED CALCIUM PH PARTIAL PRESSURE C02	06F01-01		PG			ABBOTT LABS	6	Y	3

# i-STAT (RESUPPLY) CONSUMABLES PACKAGE

NSN	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6135009857845	BATTERY NONRECHARGEABLE ALKALINE AA 1.5V 1 YEAR SHELF LIFE	C18.1	1	24sPG	\$7.52	\$7.52	AMERICAN NATIONAL	36	N	3	AA FOR PRINTER
6135014217168	BATTERY 9 VOLT NONRECHARGEABLE USED IN HAND-HELD BLOOD GAS ANALYZER	6F2126	1	12S/ PG	\$70.00		I-STAT	Indef.	N	3	LITHIUM
6640014195698	PAPER RECORDING CLINICAL ANALYZER USE W/HEWLETT PACKARD PTBL 6S	06F- 1711	1	PG	\$15.40		I-STAT	Indef.	N	3	
6550014318279	CONTROL BLD CHEM U/W G E3+ G3+ EC4+ 6+ EG6+ EC6+ & EC8 1.7ML	06F12- 01	1	PG	\$27.48		ABBOTT LABS	6	Y		All test pks will last only 2 wks at room temp if not refrig
6550014323696	CONTROL BLD CHEM USE W/G E3+ G3+ EC4+ 6+ EG6+ EC6+ EC8 1.7ML	06F14- 01	1	PG	\$11.85	\$11.85	ABBOTT LABS	6	Y	3	All test pks will last only 2 wks at room temp if not refrig
6550014338679	TEST PACK SOD K CHL PH PARTIAL PRESSURE CO2 BLD UREADETR	06F04- 01	3	PG	\$6.91	\$20.73	ABBOTT LABS	2	Y	3	All test pks will last only 2 wks at room temp if not refrig
6550014066428	DIGITIBE	06F03- 01	3	PG	\$368.97	\$1,106.9 1	ABBOTT LABS	6	Y	3	All test pks will last only 2 wks at room temp if not refrig
6550014338681	TEST PACK SOD POTASSIUM K BLD UREA NITROGEN GLUCOSE&HEMATOCRIT	06F05- 01	5	PG	\$437.81	\$2189.0 5	ABBOTT LAB	2	Y	3	All test pks will last only 2 wks at room temp if not refrig
6550014199475	TEST PACK SODIUM K IONIZED CALCIUM PH PARTIAL PRESSURE C02	06F01- 01	3	PG	\$247.00	\$741.00	ABBOTT LABS	6	Y	3	All test pks will last only 2 wks at room temp if not refrig
6550015064913	CARTRIDGE TEST GLUCOSE	06F09- 01	2	PG	\$216.01	\$432.02	ABBOTT LABS	0	Y	3	All test pks will last only 2 wks at room temp if not refrig
6550015344571	CONTROL BLOOD CHEMISTRY	06F12- 04	1	PG	\$34.13	\$34.13	ABBOTT LABS	18	Y	3	All test pks will last only 2 wks at room temp if not refrig
6550015344595	CONTROL BLOOD CHEMISTRY	06F12- 06	1	PG	\$34.13	\$34.13	ABBOTT LABS	180	Y	3	All test pks will last only 2 wks at room temp if not refrig

# DISTRIBUTOR: MARKETING ASSESSMENT INC. MANUFACTURER: THERMAL GEAR MODEL # SERIES 8000

Distributor's PHONE: (703) 392-9344 FAX (703) 392-3803

Website: <a href="http://www.chillbuster.com">http://www.chillbuster.com</a>

ACC "L" ITEM NSN 6515-01-500-6087

UA's: 2267, 5267, N308, N309, F308, F309, 5256, 5257, 5264

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$1,650.00** 

The ChillBuster Blanket system is specifically designed to treat hypothermia encountered in the field, and in the pre-hospital, hospital or surgical environments.

**Features:** 1. User set temperature range of 65° to 105°F for controlled warming.

- 2. 1.75-3.5 hours of operation, allowing for extended patient transport.
- 3. Blanket wire heats to 105°F within 60 seconds for rapid thermal response.
- 4. AC/DC converter permits the alternative of line power operation to enhance operating flexibility.
- 5. Optional cigarette lighter adapter allows unlimited blanket operation during transport.
- 6. Optional Blanket covers: sterile, single-use and non-sterile general use

### BLANKET PATIENT HYPOTHERMIA, CHILLBUSTER





### CHILLBUSTER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	10.5"	
	Width	1"	
	Depth	18"	
Weight		10 lbs	
<b>Operating Temperature</b>	+14 to 113°F		
Storage Temperature	-40 to+122°F		
Humidity	15 to 90 % non- condensing		
Power Requirements	100/250VAC @47-63 HZ,Single Phase 60 watts max	External Power 12 VDC @ 5 amps, neg grnd	Internal Power source rechargeable battery 12VDC 1.75 to 3.5 hours

# **CONSUMABLES ACCESSORIES (START-UP)**

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Refri g Y/N	CONU S Ship Time, weeks
6515 015224385	Included W/NSN	Blanket – 30 in. x 60 in.	200-9103-01-00E	1	EA	\$300.00	\$300.00	ThermoGear, Inc.	N	2
6515 015221240	Included W/NSN	AC/DC Switching Power Supply	200-9110-02-00E	1	EA	\$225.00	\$225.00	ThermoGear, Inc.	N	2
6515 015221377	Included W/NSN	Carrying Bag	200-9111-01-00E	1	EA	\$135.00	\$135.00	ThermoGear, Inc.	N	2
6515 015221231	Included W/NSN	Cigarette Adapter	200-9116-00-00E	1	EA	\$60.00	\$60.00	ThermoGear, Inc.	N	2
See Resupply	Included W/NSN	Blanket Covers,		10	EA			ThermoGear, Inc.	N	2
Included w/NSN	Included W/NSN	2 Operators Manuals/CDs		2	EA	N\C	N\C	ThermoGear, Inc.	N	2
Included w/NSN	Included W/NSN	1 Maintainer Manual/CD		1	EA	N\C	N\C	ThermoGear, Inc.	N	2

# CONSUMABLES ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Refri g Y/N	CONU S Ship Time, weeks
6532014980837	Blanket Covers, 25/case 30 in. x 60 in. (must specify size when ordering	200-9112-13-00E	1	ΕA	\$125.00	\$125.00	ThermoGear, Inc.	N	2

# Thermal Angel Estill Medical Technologies, Inc Model TA-SK1M

Manufacturer's PHONE: (214) 561-6001 Fax: (214) 561-1930


Website: <a href="http://www.thermalangel.com">http://www.thermalangel.com</a>

#### ACC "L" ITEM NSN 6515-01-500-3521

UA's: 2256, 2267, 2257, 2264, 3256, 3257, 3267, 5256, 5264, 5257, 5267

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$102.94** 



**System Description:** The Thermal Angel is an in line, battery-powered disposable, lightweight and completely portable blood and IV fluid warming device, capable of intravenous application and irrigation warming. The Thermal Angel can be used to help prevent fluid-induced hypothermia. The Thermal Angel TA-200 will strive to achieve  $38^{\circ}\text{C}$  ( $100.4^{\circ}\text{F}$ )  $\pm 3^{\circ}\text{C}$  at a flow rate of 2 to 150 ml/min given a fluid input temperature of  $20^{\circ}\text{C}$  ( $68^{\circ}\text{F}$ ) with a fully charged TA-BCE Battery.



THERMAL ANGEL UNIT
TA-200
ACC "L" NSN 6515-01-500-3521

**Features:** • Lightweight (9 oz), in-line, disposable, portable battery-powered blood and IV fluid warmer

- No cartridges or cleaning
- Inserted below standard IV tubing, coming from the bag and before the extension set leading to the infusion site
- Will strive to achieve 38°C (100.4°F) ±3°C at a flow rate of 2 to 150 ml/min given a fluid input temperature of 20°C (68°F) with a fully charged TA-BCE Battery
- Quick setup within 30 seconds
- Warms in approximately 45 seconds
- Placed at or near the infusion site for minimal heat loss through tubing
- Failsafe to prevent overheating
- Ability to remain with patient from first contact through hospital stay
- Can be used in the field, ambulances, helicopters, ER, OR, military and other care areas
- The unit uses standard luer fittings and will accept all standard IV line sets
- Single patient use
- Heaters adjust automatically in response to changes in flow rate
- Disposable

## **Thermal Angel** ® **TA-200 Performance Specifications:**

Output Temperature:  $38^{\circ}\text{C} (100.4^{\circ}\text{F})$ Accuracy:  $\pm 3^{\circ}\text{C} (5.4^{\circ}\text{F})$ Input Temperature:  $20^{\circ}\text{C} (68^{\circ}\text{F})$ Input Flow Rate: 2 to 150 ml/min

Input Voltage: 12 Volts DC from a fully charged power source

Warm-up Time: Approximately 45 seconds

## **Thermal Angel** TA-200 Performance Specifications:

Output Temperature:  $38^{\circ}\text{C} (100.4^{\circ}\text{F})$ Accuracy:  $\pm 3^{\circ}\text{C} (5.4^{\circ}\text{F})$ Input Temperature:  $20^{\circ}\text{C} (68^{\circ}\text{F})$ Input Flow Rate: 2 to 150 ml/min

Input Voltage: 12 Volts DC from a fully charged power source

Warm-up Time: Approximately 45 seconds

## Thermal Angel TA-200 Absolute Minimum and Maximum Specifications:

#### Minimum Maximum

Output Temperature: NA 47°C (116.6°F) failsafe fuse

Input Temperature: 4°C (39.2°F) 38°C (100.4°F)
Input Flow Rate: 0 ml/min 200 ml/min
Input Voltage: 10.5 Volts DC 13.8 Volts DC
Storage Temperature: 0°C (32°F) 40°C (104°F)

## Thermal Angel TA-200 External Physical Specifications:

Length: 9.0 in. (22.86 cm)
Width: 2.8 in. (7.11 cm)
Depth: 0.95 in. (2.41 cm)
Weight: 9.2 oz. (260.82 g)

## Thermal Angel TA-200 Fluid Path Specifications:

Material: Passivated 316L stainless steel tube

Tube Length: 50.25 in. (127.5 cm)
Tube Wall Thickness: 0.035 in. (.098 cm)
Tube I.D.: 0.117 in. (.30 cm)
Volume: 0.540 cu. in. (8.85 ml)

## Thermal Angel TA-200 Heater Specifications:

Type: Electrical resistance, band heater

Material: 1 oz. copper

Substrate: 3 mil polyester film

Approximate Area: 17 sq. in.

Nominal Power: 216 watts @ 12 Volts DC

# Thermal Angel TA-200 Controller Specifications:

Operational Voltage: 5 Volts DC

Processor: 8-bit microcontroller

Clock Rate: 8 MHz ADC Configuration: 8-bits

Sensor: NTC Thermistor mounted in fluid stream

Control Algorithm: Closed-loop PID (Proportional Integral Differential)

Sample Rate: 4.8 Ks/sec

### **TA-200 QUICK STEPS**

**Step 1: •** Remove the female luer cap from the inlet end of the Thermal Angel®. • Connect IV tubing to the female luer. Tighten until resistance is met. Do not over tighten

**Step 2: •** Remove the male luer cap from the outlet end of the Thermal Angel®. • Connect 9 Inch IV Extension Set to the male luer. Tighten until resistance is met. Do not over tighten.

Step 3: • Connect assembled IV line to fluid source and prime the line.

**Step 4:** • Connect the male end of the Power Cable to the inlet end cap of the Thermal Angel®. • Connect the female end of the Power Cable to the Battery. • The green LED on the Thermal Angel® inlet end cap should display continuous illumination without blinking.

**Step 5: •** Connect 9 Inch IV Extension Set to IV catheter. • Engage roller clamp on IV tubing to adjust flow.



9 INCH EXTENSION SET TA-9EXT 6515-01-503-8228



BATTERY TA-BCE 6515-01-500-2858



BATTERY CHARGER TA-CAC 6515-01-500-3022



BATTERY BAG TA-CC 6515-01-500-3045



POWER CABLE TA-CDC 6515-01-500-3027

#### THERMAL ANGEL KIT TA-SK1M

#### CONSUMABLES AND ACCESSORIES

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015003521	INCLUDED W/NSN	THERMAL ANGEL	TA-200	1	5/EA	\$65.00	\$325.00	Estill Medical Tech	N	N	2
6515015002858	INCLUDED W/NSN	Battery	TA-BCE	1	EA	\$64.38	\$64.38	Estill Medical Tech	N	N	2
6515015003022	INCLUDED W/NSN	Battery Charger	TA-CAC	1	EA	\$24.46	\$24.46	Estill Medical Tech	N	N	2
6515015003027	INCLUDED W/NSN	Power Cable	TA-CDC	1	EA	\$17.50	\$17.50	Estill Medical Tech	N	N	2
6515015003045	INCLUDED W/NSN	Battery Bag	TA-CC	1	EA	\$12.59	\$12.59	Estill Medical Tech	N	N	2
6515015038228	INCLUDED W/NSN	9" IV extension	TA-9EXT	1	5/EA	\$2.00	\$10.00	Estill Medical Tech	N	N	2

### Preliminary Evaluation of Compatibility Between

### **Infusion Dynamics Power Infuser®**

and

### Estill Medical's Thermal Angel® Blood and IV Fluid Warmer (TA-200)

Testing performed by Infusion Dynamics, Inc. August 9, 2002

The Power Infuser was found to be **COMPATIBLE** with Estill Medical's Thermal Angel provided the following configuration was used:

#### [IV bag] - [Power Infuser] - [Thermal Angel] - [Patient]

Standard IV tubing set was connected between the IV bag and the Power Infuser. An 18" pump-to-patient IV tubing set was used between the Power Infuser and Thermal Angel and between the Thermal Angel and the 18ga. patient needle.

Flow rates in this configuration matched the rates without the warmer in the line.

Temperature of outflow fluid was 38.3°C with the pump set to

L/hr. According to the TA-200 instructions, fluid should be warmed to  $38^{\circ}\text{C} \pm 3^{\circ}\text{C}$ .

When the Power Infuser was set to 6L/hr. and placed in-line with the Thermal Angel warmer, the pump's OCC alarm triggered approximately 2.5 after the line at the patient end was occluded. Without the warmer in the line the OCC alarm triggers approximately 1.2 seconds after occlusion. This slightly longer time to occlusion is due to the compliance of the tubing when it is warmed.

Approximately 1-2 cc of fluid is released when the occlusion is cleared. The peak pressure during the occlusion reached 14-18 PSI (724 - 931mmHg), and settled down to approximately 9 PSI (465mmHg) after the alarm was triggered and the pump stopped. No leaks in the set or any decay in the pressure were observed in the period of several minutes that the occlusion was maintained after the pump OCC alarm triggered.

The Power Infuser was **NOT COMPATIBLE** with the Thermal Angel Warmer in this configuration:

### [IV bag] - [Thermal Angel] - [Power Infuser] - [Patient]

When the Power Infuser is running at 6L/hr. and is downstream of the warmer, the occlusion alarm will not activate when the patient tubing is occluded. (Operation at the 1L/hr., 2 L/hr. and 4L/hr. settings is acceptable).

This occurs due to a more compliant system resulting from the elevated temperature in the fluid path.

### A compatible set up: IV bag, pump, warmer, patient.



#### CONCENTRATOR OXYGEN 1-5 LPM TOC

### AIRSEP NEWLIFE ELITE MODEL # ELITE AS5002

Manufacturers' PHONE: (716) 691-0202 FAX: (716) 691-0174 Website: http://www.portablenebs.com/concentrator.htm

ittp://www.portublenebseoin/concentratoring

AAC "W" ITEM NSN 6515-01-383-1052 AAC "J" ITEM NSN 6515-01-434-4629

UA's: 3267, 5267, 4901, 4905, 4912, 9303, 9304

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$926.08

**System Description:** Produces from 1 to 3 liters per minute of therapeutic oxygen, purity levels of up to 92%, 4 LPM AT 89 %, and 5 LPM AT 82 %. This system has built-in alarms for power failure and high/low pressure. Includes filters to remove dust, bacteria and other particulates, provides for the attachment of an in-line humidifier to humidify. The gas mixture delivered to the patient for use in producing oxygen rich gas mixture by drawing in room air and extracting the oxygen. Large, easy-to-read flow meter with back-lines for accurate flow settings. Built-in handles make it easy to move or lift. Large casters glide easily over virtually any flooring surface.



# AIRSEP OXYGEN CONCENTRATOR CHARACTERISTICS

Dimensions	Height, in.	27.5
	Width, in.	16.7
	Depth, in.	14.5
Weight, lbs.	54	
Cube	3.85 cu ft	
Operating		
Temperature Range	40° to 105 ° F	
Relative Humidity		
(storage)	4° to 140° F	
Relative Humidity (in		
use)	0 to 95%	
Alarms	Power failure	
	High and low pressure	
	Temperature	
	Battery test	
	Low purity (Oxygen monitor with optional	
	EcoCheck)	
Performance:		
	92% at 1-3 LPM	
	89% at 1-4 LPM	
	82% at 1-5 LPM	
Power Consumption	480 Watts	
<b>Power Requirements</b>	120 VAC, 60 Hz, 4 amps	

# AIRSEP OXYGEN CONCENTRATOR CONSUMABLES(START-UP)

NSN	Notes	Nomenclature	PN	Q T Y	UI	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONU S Ship Time, weeks
6515011535584	Included W/NSN	Mask, oro-nasal, child	1042	1	50 PG	\$100.23		Medline Industries	Indef	N	2
6515013656206	Included W/NSN	Mask, oro-nasal, pediatric	1011	1	50 PG	\$109.72	\$109.7	Elite Medical Products	Indef	N	2
6515011405343	Included W/NSN	Mask, rebreathing, adult	1009	1	50 PG	\$93.25		Metropolitan Medical	Indef	N	2
6515014580522	Included W/NSN	Nasal Cannula, Oxygen, 84inch non-flared	1103	1	50 PG	\$28.50		Hudson Oxygen Therapy Sales	Indef	N	2
6515014724663		Filter Bacteria			EA	\$4.20		Airsep Corp	Indef	N	2
7610015379355	Included W/NSN	Operating/Service Manual	MN105- 1			\$11.00	\$11.00	Airsep Corp	Indef	N	2

# AIRSEP OXYGEN CONCENTRATOR CONSUMABLES(RESUPPLY)

NSN	Nomenclature	PN	Q T Y	UI	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks
6515011535584	Mask, oro-nasal, child	1042	1	50 PG	\$100.23		Medline Industries	Indef	N	2
6515013656206	Mask, oro-nasal, pediatric	1011	1	50 PG	\$109.72		Elite Medical Products	Indef	N	2
6515011405343	Mask, rebreathing, adult	1009	1	50 PG	\$93.25		Metropolitan Medical	Indef	N	2
6515014580522	Nasal Cannula, Oxygen, 84inch non-flared	1103	1	50 PG	\$28.50		Hudson Oxygen Therapy Sales	Indef	N	2
6515014724663	Filter Bacteria	F1001-1	1	EA	\$4.20	,	Airsep Corp	Indef	N	2

#### DEFIBRILLATOR, MONITOR RECORDER TOC

### ZOLL MEDICAL CORPORATION MODEL M SERIES CCT

Manufacturer's PHONE: (978) 421 9460, FAX (978) 421-0010

Website: http://www.zoll.com

AAC "W" ITEM NSN 6515-01-389-6740 AAC "J" ITEM NSN 6515-01-515-4197

UA's: 2261, 2267, 2257, 3257, 3267, 5257, 5267, 9300, 9304, 9301, 9302, 9303, N301, 9306, N313, N513, N713, N308, N309, F301, F308, F309, F383

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$18,940.00** 

Operator Familiarization: CD-ROM is available.

**System Description:** The M Series CCT features a three-channel display for ECG and up to two invasive pressures with ranges covering arterial, pulmonary arterial, central venous or intracranial pressure as well as two temperature channels. Of course, it also provides you all the non-invasive parameter options of the M Series including SpO<sub>2</sub>, EtCO<sub>2</sub>, NIBP, and fully interpretive 12-lead ECG.

- ZOLL XL Battery for longer transport times
- Transport-ready design
- Easy-to-read display
- M Series technology and simplicity
- Full range of parameters for a full range of patients
- Flexible color display
- Quick, easy connections
- Ready to gather and share critical data



DEFIBRILLATOR, MONITOR RECORDER MODEL M SERIES CCT

### **CHARACTERISTICS**

Dimensions	Height	6.8"
	Width	10.3"
	Depth	8.2"
Weight.		13.5 lbs
Storage Temperature		-4° to 140° F, -20° to 60° C
Operating Temperature		32° to 122°F ,0° to 50° C
Humidity (no condensing)		5-95%
Power Requirements		110/220 VAC 50/60 HZ, 220/240 50 HZ,220 VA
		Sealed lead acid battery pack; 5 cells 2V/CELL,
		(WIRED IN SERIES), DC INPUT 10-29 V. 130 W

### M-SERIES/CCT DEFIBRILLATOR ACCESSORIES & CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
See Resupply	Included W/NSN	XL Smart Ready Lead Acid Batteries	3	EA	8000-0686	\$180.00	\$540.00	Zoll	indef	N	2
11.2		Xtreme Pak II Carry									
6515015185958	Included W/NSN	Case	1	EA	8000-0501-01	\$595	\$595.00	ZOLL	indef	N	2
6515015185984	Included W/NSN	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185960	Included W/NSN	Military AC power cord w/ Ferrite	1	EA	8000-0304	\$35.00	\$35.00	Zoll	indef	N	2
6515015185967	Included W/NSN	Military EtCO <sub>2</sub> cable with mainstream capnostat sensor	1	EA	8000-0410	\$1950.00	\$1950.00	Zoll	indef	N	2
6515015185970	Included W/NSN	NIBP adult cuff and hose	1	EA	8000-1654	\$29.00	\$29.00	Zoll	indef	N	2
6515015185972	Included W/NSN	Military SpO2 cable	1	EA	8000-0246-30	\$162.00	\$162.00	Zoll	indef	N	2
6515015185973	Included W/NSN	Military SpO2 adult sensor	1	EA	8000-0245	\$270.00	\$270.00	Zoll	indef	N	2
6515015185980	Included W/NSN	Military Temperature Cable and Probe	1	EA	8000-0409	\$450.00	\$450.00	Zoll	indef	N	2
6515015185982	Included W/NSN	Military universal cable	1	EA	8000-0308-30	\$135.00	\$135.00	Zoll	indef	N	2
6515015185962	Included W/NSN	Military 1 Step 12 – Lead ECG Cable	1	EA	8000-0527-30	\$319.00	\$319.00	Zoll	indef	N	2
6515015046492	Included W/NSN	M Series external paddle assembly	1	EA	8000-1010-01	\$396.00	\$396.00	Zoll	indef	N	2
6515015185995	Included W/NSN	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186027	Included W/NSN	Dep Pak – Single Patient 4 YEAR SHELF LIFE	1	EA	8000-4018-30	\$80.00	\$80.00	ZOLL	48	N	2
6515015186011	Included W/NSN	Hardigg Case w/ label	1	EA	8000-0850-30	\$980.00	\$980.00	Zoll	indef	N	2
6515015186016	Included W/NSN	1X1 Battery Charger	1	EA	8050-0022-30	\$506.00	\$506.00	Zoll	inde	N	2
6515015186021	Included W/NSN	Single Patient Use Airway Adapters (10)	1	(10s) EA	8000-0260-01	\$65.00	\$65.00	ZOLL	indef	N	2
6515015186030	Included W/NSN	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$396.00	\$396.00	Zoll	inde	N	2
6515015185988	Included W/NSN	Operator's Manual	1	EA	9650-0200-01	\$20.00	\$20.00	Zoll	inde	N	2
6515015186025	Included W/NSN	Service Manual	1	EA	9650-0450-30			Zoll	inde	N	2
6515015186012	Included W/NSN	In-Service Video	1	EA	9650-0073	\$20.00	\$20.00	Zoll	inde	N	2

# M-SERIES/CCT DEFIBRILLATOR CONSUMABLES (RESUPPLY)

NSN	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, months	Refri g	CONUS Ship Time, weeks
6515015092908	Dep Pak – FOUR Patient 4 YEAR SHELF LIFE	1	EA	8000-4017-30	\$280.00	\$280.00	ZOLL	48	N	2
6515015186021	Single Patient Use Airway Adapters (10)	1	(10s )EA	8000-0260-01	\$65.00	\$65.00	ZOLL	indef	N	2
6515015185955	XL Smart Ready Lead Acid Battery	1	EA	8000-0686	\$180.00	\$180.00	ZOLL	48	N	2
6515015185984	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185995	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186030	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$396.00	\$396.00	Zoll	inde	N	2




DEP PAK FOUR, PATIENT 8000-4017-30




1X1 BATTERY CHARGER 8050-0022-30




XL SMART READY LEAD ACID BATTERIES, 8000-0686



5 LEAD ECG CABLE 8000-0527-30




MILITARY UNIVERSAL CABLE, 8000-0308-30




M SERIES EXTERNAL PADDLE ASSEMBLY, 8000-1010-01




CUFF NIBP ADULT AND HOSE 8000-0654



ETCO2 CABLE WITH MAINSTREAM CAPNOSTAT SENSOR 8000-0410



MILITARY SpO2 ADULT SENSOR 8000-0245



MILITARY SpO2 CABLE 8000-0246-30




TEMPERATURE CABLE & PROBE 8000-0409



Hardigg Case w/label 8000-0850-30 CASE ONLY ITEMS SHOWN IN THIS CASE INCLUDES THE STARTUP KIT





8000-0527-30

### DOPPLER ULTRASONIC FLOW DETECTOR TOC

# COOPER SURGICAL, INCORPORATED MODEL # D8

Manufacturer's PHONE: (203) 601-5200 Fax (203) 601-1007

Website: www.coopersurgical.com

AAC "W" ITEM NSN 6515-01-192-9456 AAC "J" ITEM NSN 6515-01-293-5578

UA's: 3267, 5267, N301, N302, N308, N309, F301, F302, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$2,995.00

**Features:** Detect air emboli during surgery where significant gravitation gradient exists between the heart and the operating site. Assess vessel potency or monitor and evaluate blood flow at surgical site. Obtain systolic blood pressure measurements during surgery. Flexible design allows for one Doppler and multiple probe frequencies.



### **CHARACTERISTICS**

Dimensions	Height	25.4 cm
	Width	25.4 cm
	Length	12.2 cm
Weight		12 lbs
<b>Operating Temperature</b>		+10C -+ 40C
Operating Humidity		30% - 70%
Storage Temperature		+10C - +40C
Storage Humidity		30% - 70%
<b>Power Requirements</b>		120/130VAC 50/60 HZ

11.5 cm Pencil Frequency: 8 MHz



Pencil Style Probe

### ULTRASONIC UNIT BLOOD FLOW DETECTION ACCESSORY

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
							Cooper Surgical			
6515014916202	Model P82 Pencil Style Probe	101-0013-010	1	EA	\$1,095.00	\$1,095.00	Inc.	Indef	N	3

### ELECTROSURGICAL APPARATUS MOBILE TOC

# Distributed By: ALLIANCE JOINT VENTURE Manufactured By: CONMED MODEL # 888033227

Distributor's Phone: (305) 364-0888 FAX: (305) 364-0877 Manufacturer's Phone: (800) 765-8375 EXT 4447 FAX: (410) 374-2144

Distributor's Website: <a href="http://www.american-depot.com/">http://www.american-depot.com/</a> Manufacturer's Website: <a href="http://www.conmed.com/Product.php">http://www.conmed.com/Product.php</a>

#### AAC "J" ITEM NSN 6515-01-532-3321

UA's: 3267, 4905, 5267, N301, F301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$9,394.37** 

**System Description**: The Excalibur Plus PC<sup>®</sup> is the most powerful Isolated ESU on the market with 10,000V PTP in Spray COAG. It is the only ESU that allows the surgeon to adjust power settings from the surgical field with a standard ES pencil. Excalibur Plus PC Patented Controlled Output Voltage<sup>TM</sup> in CUT maintains minimum necessary voltage for smooth cutting through various impedance tissues with minimal thermal damage.

**Features:** The Excalibur Plus PC® offers a scalpel like cut and three blend modes

- Pure Cut Maximum Peak to Peak Voltage is 2000 Volts.
- Blend 1 Maximum Peak to Peak Voltage is 2000 Volts.
- Blend 2 Peak voltage of 2200.
- Blend 3 The Excalibur Plus PC® comes equipped with the maximum Peak to Peak Voltage of 2400. Safety: The Aspen Return Monitor (ARM™) is the most sensitive pad monitoring system available. It combines automatic feedback circuitry and visual displays to provide the most sensitive contact quality monitoring system available today. ARM™ This function continuously monitors the safety of the Monitoring patient to ground System pad interface with a dual foil ground pad. Disarms the ESU and alerts the staff if a pad fault condition occurs. ARM Operates in a preset Safety range of 10-150 Ohms. Once the Pad is placed and the resistance is measured this measurement is set. If the patient's impedance level should either increase by 20% or fall out of the preset safety range, ARM™ will alarm and disarm the ESU. The Assist Bar Graph provides a visual Alarm Set Point and eliminates the possibility of pad site burns attributable to machine error.
- Standard Coagulation: Provides "Pin Point" coagulation with minimal arcing and deep thermal necrosis
- Spray Coagulation: Wide pattern fulguration with maximum arcing and shallow thermal necrosis.

10000 Volts Peak to Peak in Spray Coag: The Highest voltage offered in an isolated ESU that delivers unmatched Spray Coagulation performance. A proprietary feature of Excalibur Plus PC.



ELECTROSURGICAL APPARATUS EXCALIBUR PLUS PC NSN 6515-01-532-3321



ELECTROSURGICAL APPARATUS CART PART # 999121185

# ELECTROSURGICAL APPARATUS EXCALIBUR PLUS PC CHARACTERISTICS

Dimensions Excalibur	Height, in.	6.25		
Plus PC				
	Width, in.	15.9		
	Depth, in.	22.75		
Dimensions	Height, in.	34		
Electrosurgical Cart				
	Width, in.	22		
	Depth, in.	25		
Electrosurg Weight, lbs		40lbs 12 oz		
Cart Weight, lbs		56 lbs		
<b>Operating Temperature</b>		50° F to 86°F		
Storage Temperature		40° F to 158° F		
		when sealed in bag		
Relative Humidity		0 to 95%		
Operating		noncondensing		
Relative Humidity in		0 to 95%		
Storage		noncondensing		
Voltage	115/230 VAC			
	60Hz			
Fuse	8 Amp max			
Watts	960 Watts			
<b>Output Power</b>	MAX POWER	MAX	PP	LOAD
Monopolar	(WATTS)	<b>VOLTAGE</b>	CREST	Ohms
		(VOLTS)	<b>FACTOR</b>	
- Pure Cut	300 Watts	2,000	1.8	300
- Blend 1	180 Watts	2,000	2.4	300
- Blend 2	120 Watts	2,200	3.1	300
- Blend 3	80 Watts	2,400	3.8	300
- Coag Standard	120 Watts	6,500	6.4	300
- Coag Spray	80 Watts	10,000	8.5	500
- Bipolar				
- Cut	50 Watts	400	1.7	50
- Coag	50 Watts	400	1.5 -12.0	50



Rocker Switch, Ultra Clean Blade Electrode, 10' (3.05m) Cable, Holster PART # 999010787



Surefit Grounding Pad(for patients > 4.4lbs), without cable, Single use, PART # 999121138 (use reusable cable PART # 999121545) 5/package

Today's sophisticated electronics and a polymer gel technology allows us to make a smaller pad. With the same pad used on patients from 4.4 lbs (2.2 kg), the SureFit<sup>TM</sup> dispersive electrode presents the possibility to replace the traditional infant, pediatric, and adult dispersive electrode with one configuration. The SureFit<sup>TM</sup> Dispersive Electrode from CONMED provides unique features including a tab designed to help the nurse gently remove the pad from the patient. The pliable backing and polymer hydrogel conform to body contours; while the adhesive borders helps prevent fluid from penetrating the borders of the SureFit dispersive electrode.



6" UltraClean® Blade; Single-Use; Sterile PART # 999120860



1" UltraClean® Needle; Single-Use; Sterile PART # 999120857



Footswitch (full size), Monopolar, Splashproof, with 10' (3.05m) cable. For use with Excalibur PART # 999121176



Footswitch, Bipolar, Splashproof, Omni directional. For use with System  $5000^{\rm TM}$ , Excalibur series with  $10^{\circ}$  (3.05m) pre-attached cable. PART # 999121175




1" UltraClean® Blade with Extended Insulation;

Single use; Sterile ... PART # ... 999120858





7-3/4" (19.685cm) Scoville-Greenwood Bayonet (Insulated), 1.5mm Tip . PART #. . . 999121164



Reusable Bipolar Cable; for use with Wolf Kleppinger forceps; twin banana plug machine connectors; 10 long Part # 999121052



All ARM equipped, and Valleylab - All REM equipped; enables padto-patient contact quality monitoring PART # 999121545



ASPENGEL Conductive Gel, Nonstaining, 8.45 fluid oz.

Optional Item PART # 999121151

## EXCALIBUR PLUS PC ACCESSORIES CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks
6515015347437	Included W/ NSN	Universal Cart	999121185	1	EA	\$351.75	\$351.75	Alliance Joint Venture	N/A	N	3
6515015347442	Included W/ NSN	Monopolar Footswitch	999121176	1	EA	\$241.20	\$241.20	Alliance Joint Venture	N/A	N	3
6515015347475	Included W/ NSN	Bipolar Footswitch	999121175	1	EA	\$20.35	\$20.35	Alliance Joint Venture	N/A	N	3
6515015347815	Included W/ NSN	Surefit Grounding pad without cord	999121138	1	100/CS	\$150.00	\$150.00	Alliance Joint Venture	N/A	N	3
6515015347490	Included W/ NSN	Clamp/cord assembly	999121545	1	EA	\$32.00	\$32.00	Alliance Joint Venture	N/A	N	3
6515015347516	Included W/ NSN	Forcep insulated 7.75" bayonet	999121164	1	EA	\$152.00	\$152.00	Alliance Joint Venture	N/A	N	3
6515015347670	Included W/ NSN	Bipolar forceps cord	999121052	1	EA	\$140.00	\$140.00	Alliance Joint Venture	N/A	N	3
6515013541012	Included W/ NSN	Disposable hand switch pencil w/holster	999010787	1	40/CS	\$106.52	\$106.52	Alliance Joint Venture	N/A	N	3
6515015347821	Included W/ NSN	Extended coated blade	999120860	1	50/PG	\$215.00	\$215.00	Alliance Joint Venture	N/A	N	3
6515015347830	Included W/ NSN	Coated needle electrode	999120857	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347836	Included W/ NSN	Edge insulated coated blade	999120858	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347844	Included W/ NSN	Active Adapter	999120946	1	EA	\$49.50	\$49.50	Alliance Joint Venture	N/A	N	3
6515015403422	Included W/ NSN	Service Manual	60-6280-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3
6515015403420	Included W/ NSN	Operator Manual	60-6270-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3
6515011563011	In The UA	Electrode Electrosurg Apparatus W/Removable Blade& 10' cord	130305	1	EA	\$221.33	\$221.33	Conmed	N/A	N	3
	In The UA	Electrode Grounding Electrsurg	E7503		EA	\$116.45	\$166.45	TYCO	24	N	3
6515011397942	In The UA	Cable Electrosurg Double Prong 144"	30-1536	1	EA	\$167.70	\$167.70	Codman	N/A	N	3

## EXCALIBUR PLUS PC ACCESSORIES CONSUMABLES (RESUPPLY)

								Shelf		CONUS Ship
NSN	Nomenclature	PN	ОТҮ	UI	Unit Price	Total Price	MFG	Life, months	Refrig Y/N	Time, weeks
6515015347815	Surefit Grounding pad without cord	999121138	1		\$150.00	\$150.00	Alliance Joint Venture	N/A	N	3
6515015347490	Clamp/cord assembly	999121545	1	EA	\$32.00	\$32.00	Alliance Joint Venture	N/A	N	3
6515015347516	Forcep insulated 7.75" bayonet	999121164	1	EA	\$152.00	\$152.00	Alliance Joint Venture	N/A	N	3
6515015347670	Bipolar forceps cord	999121052	1	EA	\$140.00	\$140.00	Alliance Joint Venture	N/A	N	3
6515013541012	Disposable handswitch pencil w/holster	999010787	1	40/CS	\$106.52	\$106.52	Alliance Joint Venture	N/A	N	3
6515015347821	Extended coated blade	999120860	1	50/PG	\$215.00	\$215.00	Alliance Joint Venture	N/A	N	3
6515015347830	Coated needle electrode	999120857	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347836	Edge insulated coated blade	999120858	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347844	Active Adapter	999120946	1	EA	\$49.50	\$49.50	Alliance Joint Venture	N/A	N	3
6515015424886 Optional Item	ASPENGEL Conductive Gel, Nonstaining, 8.45 fluid oz.	999121151	1	CS/12	\$77.14	\$77.14	Alliance Joint Venture	N/A	N	3
6515015403422	Service Manual	60-6280-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3
6515015403420	Operator Manual	60-6270-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3

### STRYKER/HOWMEDICA MODEL 4920-9-960

Manufacturer's PHONE: (201) 831-5726 FAX(201) 831-6553

Website: http://www.trauma.stryker.com/index/st\_pag\_product-portfoliosection/st\_pag\_external-fixation-systems.htm

### AAC "L" ITEM NSN 6515-01-464-0077

UA's: 3267, 5267, 9114, N302, N783, N583, F303


USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$19,425.00** 

System Description: Device providing rigid immobilization through external skeletal fixation utilizing rods attached to pins placed in or through the bone. Used for both open fractures and septic nonunion.

# HOFFMAN II PHYSICAL SPECIFICATIONS

Dimensions, in.	Height	21.6
	Width	10.2
	Depth	4.3
Weight, lb.	20.1	



### **Hoffman II FIXATOR KIT**




ANKLE TRACTION

TRAVELING TRACTION

## X Level 3/4/5 External Fixation System

- ♦ Components and instruments interchangeable with the Forward Deployed Field Pack Fixator
- Color-coded components for improved intra-operative and post-operative inventory management
- Integrated snap-fit mechanism allows easy assembly and temporary fixation during reduction maneuvers
- Clamps made of aluminum alloys and stainless steel, significantly reducing overall frame weight, without compromizing stability

### X Upper Insert



Description		
Description	Qty	Catalog Number
Rod-to-Rod Coupling 8/8mm	16	4920-1-010
Removable Thumbwheel	2	4920-9-020
Pin-to-Rod Coupling 8mm/4+5mm	6	4920-1-020
4mm x 300mm, 40mm Central Thread	2	5030-4-300
5mm x 180mm, 50mm THD SD/ST Apex® Half Pins	26	5018-6-180
5mm x 150mm, 40mm THD SD/ST Apex® Half Pins	12	5018-5-150
4mm x 150mm, 40mm THD SD/ST Apex® Half Pins	12	5023-5-150
	Removable Thumbwheel Pin-to-Rod Coupling 8mm/4+5mm 4mm x 300mm, 40mm Central Thread 5mm x 180mm, 50mm THD SD/ST Apex* Half Pins 5mm x 150mm, 40mm THD SD/ST Apex* Half Pins	Removable Thumbwheel         2           Pin-to-Rod Coupling 8mm/4+5mm         6           4mm x 300mm, 40mm Central Thread         2           5mm x 180mm, 50mm THD SD/ST Apex* Half Pins         26           5mm x 150mm, 40mm THD SD/ST Apex* Half Pins         12


### X Lower Insert



Component Listing									
	Description	Qty	Catalog Number						
Н	Multi-Pin Clamp Assembly	16	4920-2-020						
1	30° Angled Post, Stainless Steel	16	4920-2-140						
J	Guide Sleeve with Trocar for 5mm/150mm pins	2	5054-5-150						
K	Guide Sleeve with Trocar for 4mm/150mm pins	2	5054-4-150						

## X Level 3/4/5 External Fixation System - continued

### X Base



Co	Component Listing									
	Description	Qty	Catalog Number							
L	Curved Aluminum Rod Semi-Circular Large 214mm Width	2	5029-7-032							
М	T-Wrench	1	5054-3-051							
N	Stabilization/Reduction Wrench	2	4920-9-010							
0	Carbon Connecting Rod 8mm x 400mm	6	5029-8-840							
P	Carbon Connecting Rod 8mm x 300mm	6	5029-8-830							
Q	Drill Brace	1	5054-2-002							
R	4mm Chuck	1	5054-2-004							
Ŝ	5mm Chuck	1	5054-2-051							

Military External Fixation Case - Catalog #4920-9-960 NSN #6515-01-464-0077

#### Specifications:

Dimensions:

21.6 in (55 cm) L 10.2 in (26 cm) W 4.3 in (11 cm) D 5.2 lb (2.35 kg)

Weight:

### FIXATOR ACCESSORIES

NSN	Notes	Nomenclature	QTY	U/I	P/N	Unit Price	Total Price	MFG	Refrig Y/N	CONUS Ship Time, weeks
6515014640077		Level 3/4/5 External Fixation System	1	EA	4920-9-970	\$19,425.00	\$19,425.00	Howmedica	N	2
UPPER INSERT						,	,			_
6530015224432	Included W/NSN	Case, Reuseable, Steam Sterilizable, Custom	1	EA	4920-9-960	\$1,467.75	\$1,467.75	Howmedica	N	2
6515014631498	Included W/NSN	Coupling Fixation Ortho 8/8MM	16	EA	4920-1-010	\$313.50	\$5,016.00	Howmedica	N	2
6515015224925	Included W/NSN	Thumbwheel, Removable	2	EA	4920-9-020	\$67.45	\$134.90	Howmedica	N	2
6515014631473	Included W/NSN	Coupling Pin to Rod 8MM/4-5MM	6	EA	4920-1-020	\$313.50	\$1881.00	Howmedica	N	2
6515014631494	Included W/NSN	Pin Ortho 4MM Dia x 300MM LG 40MM Central Thread	2	EA	5030-4-300	\$85.50	\$171.00	Howmedica	N	2
6515015131261	Included W/NSN	Pin Bone Hoffman EXT Fixation Sys 5mm Dia	26	PG	5018-6-180	\$74.10	\$1,926.60	Howmedica	N	2
6515015039984	Included W/NSN	Pin Bone CRS 5MM Dia 150MM LG Half Pin Fix	12	EA	5018-5-150	\$74.10	\$889.20	Howmedica	N	2
6515015061850	Included W/NSN	Pin Bone 150MM LG 4MM Thread	12	EA	5023-5-150	\$60.80	\$729.60	Howmedica	N	2
LOWER INSERT										
6515014631475	Included W/NSN	Pin Clamp Assembly W/No Post Ortho	16	EA	4920-2-020	\$338.20	\$5,411.20	Howmedica	N	2
6515014631497	Included W/NSN	Post Angle Fixation Ortho 30 DEG SS	16	EA	4920-2-140	\$61.75	\$988.00	Howmedica	N	2
6515013532367	Included W/NSN	Dbl Sleeve-Trocar Fixation Ortho	2	EA	5054-5-150	\$213.75	\$427.50	Howmedica	N	2
6515014469703	Included W/NSN	Fixator Hoffman DBL Sleeve Trocar 150MM	2	EA	5054-4-150	\$200.45	\$400.90	Howmedica	N	2
BASE										
6515014631467	Included W/NSN	Rod Semi-Circular Fixation Alum External	2	EA	5029-7-032	\$92.15	\$184.30	Howmedica	N	2
6515013532554	Included W/NSN	Wrench Fixation T-Wrench W/35MM Ext SS	1		5054-3-051	\$183.00	\$183.00	Howmedica	N	2
6515015232438	Included W/NSN	Wrench, Stabilization/Reduction	2		4920-9-010	\$247.95	\$495.90	Howmedica	N	2
6515015040434	Included W/NSN	i	6	EA	5029-8-840	\$82.65	\$495.90	Howmedica	N	2
6515015040433	Included W/NSN	Rod Carbon Connect EXT Fixa 300MM LG 8MM W Brace Bit Fixation Drill Bit W/O Chuck	6	EA	5029-8-830	\$76.00	\$456.00	Howmedica	N	2
6515012085966	Included W/NSN	Reuseable	1	EA	5054-2-002	\$411.35	\$411.35	Howmedica	N	2
6515012969606	Included W/NSN	i	1	EA	5054-2-004	\$125.40	\$125.40	Howmedica	N	2
6515012085965	Included W/NSN	Chuck Fixation AGM 51 5MM 75MM EXT Orig	1	EA	5054-2-051	\$153.90	\$153.90	Howmedica	N	2

# FIXATION EXTERNAL PEEL PACK ORTHOPEDIC STER HOFFMAN II STYLE COMPLETE FORWARD DEPLOYED FIELD PACK FIXATOR TOC

### STRYKER/ORTHOPEDICS MODEL # 4920-9-950


Manufacturer's PHONE: (201) 831-5726 FAX (201) 831-6553

Website: http://www.trauma.stryker.com/index/st\_pag\_product-portfoliosection/st\_pag\_external-fixation-systems.htm

### AAC "L" NSN 6515-01-463-1464

UA's: 3267, 3268, 5267, 9114, N302, N342, N542, N742, N308, N417, N583, N783, F302, F308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$1702.00



### FIXATOR ALTERNATIVE SET ACCESSORIES

NSN	NOTES	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Refr ig Y/N	CONUS Ship Time, weeks
6515014631464		Complete Forward Deployed Field Pack Fixator	1	EA	4920-9-950	\$1702.00	\$1702.00	Howmedica	N	2
6515014631475		Pin Clamp Assembly W/No Post Ortho	1	EA	4920-2-020	\$311.00	\$311.00	Howmedica	N	2
6515015131261		Pin Bone Hoffman Extension Fixation System 5MM Dia x 180MM Long	1	EA	5018-6-180	\$86.00	\$86.00	Howmedica	N	2
6515014631497	Included W/NSN	Post Angled Fixation Ortho 30	1	EA	4920-2-140	\$55.00	\$55.00	Howmedica	N	2
6515014631498	Included W/NSN	Coupling Fixation Ortho 8/8MM Replacement Item	1	EA	4920-1-010	\$279.00	\$279.00	Howmedica	N	2
6515015040434		Rod Carbon Connecting EXT Fixator 400MM Long 8MM Width	1	EA	5029-8-840	\$87.00	\$87.00	Howmedica	N	2
NO STK # NEEDED	Included W/NSN	Pin Driver/Wrench Assembly						Howmedica	N	2
PRIME VENDER	Included W/NSN	#10 Scalpel						Howmedica	N	2

### FLUID WARMING SYSTEM TOC

### BELMONT INSTRUMENT CORP MODEL # FMS2000 PART #:903-00001B

Manufacturer's PHONE: (978) 663-0212 FAX (978) 663-0214

Website: <a href="http://www.belmontinstrument.com">http://www.belmontinstrument.com</a>

AAC "W" ITEM NSN 6515-01-370-5019 AAC "J" ITEM NSN 6515-01-465-2059

UA's: 3267, 9300, 9304, 9303, 267B, F301, F308, F309, N301, N308, N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$18,700.00


**System Description:** The unit delivers blood or replacement fluid at high infusion rate for use in trauma and high blood loss surgery. The system combines a high speed fluid pump, a compact blood and fluid warmer, air detection and removal, and pressure monitoring in a 26 pound package, which mounts to an IV pole. The system is easy to use, quick to set up with nearly instantaneous infusion, and fluid heating. The line pressure control turns off pump, and alerts the Operator if the fluid line is obstructed. A single pass through the induction heater brings fluid to normathermia in seconds. The Operator controlled fluid delivery rates of 1- - 750 ml per minute at physiological temperatures.



FLUID WARMING SYSTEM PART # 903-00001B NSN 6515-01-465-2059

### SIDE VIEW





3-BAG SPIKE DISPOSABLE SET PART # 903-00006 NOT INCLUDED W/NSN

Portability:	Quick-on IV Pole Mount or Handle at top of unit.
Power:	115 volt, 15A AC, or 220-240 Volt, 7.5A AC input
Battery:	Internal, rechargeable for transport. Operates all functions without heating.
Fluid Pump:	Roller type peristaltic pump.
Heater:	Maximum applied power, 1500 watts.
Sensors:	2 Air bubble sensors, pressure transducer (fluid). 2 temperature probes (infrared sensing), pump flow rate sensor.
Control Computer:	Built-in, controls all functions, with redundant hardwired overrides in case of computer failure.
Display:	5 in. x 2.5 in. Electroluminescent type, with waterproof touch pad.

# FLUID WARMING SYSTEM PHYSICAL AND ENVIRONMENTAL SPECIFICATION

Dimensions	Height	13.5 inches
	Width	7.5 inches
	Depth	12 inches
Cube		0.703 cubit feet
Weight		26 lbs
<b>Operating Temperature Range</b>		50° F to 89.6° F
Storage Temperature Range		5° F to 104° F
Relative Humidity (in use)		10% to 90 % non-condensing
Relative Humidity (storage)		10 % to 90 % non-condensing
Power Requirements		115 VAC 60 Hz Internal rechargeable
_		battery (will not power heat function).
Amps		15 amps
Watts		1500 watts

# FLUID WARMING SYSTEM (START-UP)

											CONUS
									Shelf		Ship
										Refrig	
NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	months	Y/N	weeks
		Fluid Warming						BELLMONT			
6515014652059		System	903-00001B	1	EA	\$18,700.00	\$18,700.00	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
		Carrying Case	603-00039	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		IV pole portable									
		telescopic,				Included w/	Included w/	BELLMONT			
		Assembly	403-00284	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		Reservoir Support				Included w/	Included w/	BELLMONT			
		Assembly	403-00247	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		2-Hook Assembly,									
		Portable				Included w/	Included w/	BELLMONT			
		T4elescopic IV Pole	403-00285	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		2-Hook Assembly,				Included w/	Included w/	BELLMONT			
		knob	403-00259	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
		Power Cord, 120V	118-0096	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
	CD ROM	Operator Manual	702-00040	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
	Hard copy	Operator Manual	702-00001	1	EA			INST.CORP.	N/A	N	3
							Included w/	BELLMONT			
	Physically big	Service Manual	702-00046	1	EA	2059 NSN		INST.CORP.	N/A	N	3

# ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THE FLUID WARMING SYSTEM

Ì												CONUS
										Shelf		Ship
							Unit	Total		Life,	Refrig	Time,
	NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Price	Price	MFG	months	Y/N	weeks
			3 Bag Spike									
			Disposable Set	903-		12\			BELLMONT			
	6515015178115	IN THE UA	Model 2516	00006	2	PG	\$1500.00	\$1500.00	INST.CORP.	24	N	3

# FLUID WARMING SYSTEM (RESUPPLY)

						Unit	Total		Shelf Life,	Refrig	CONUS Ship Time.
NSN	Notes	Nomenclature	PN	QTY	UI	Price	Price	DIST/MFG	months	U	weeks
		Carrying Case	603-00039	1	EA	\$600.00		BELLMONT INST.CORP.	N/A	N	3
		IV pole portable telescopic, Assembly	403-00284	1	EA	\$270.00		BELLMONT INST.CORP.	N/A	N	3
		Reservoir Support Assembly	403-00247	1	EA	\$31.90		BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, Portable T4elescopic IV Pole	403-00285	1	EA	\$86.25		BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, knob	403-00259	1	EA	\$45.36		BELLMONT INST.CORP.	N/A	N	3
		Power Cord, 120V	118-0096	1	EA	\$52.00		BELLMONT INST.CORP.	N/A	N	3
	CD ROM	Operator Manual	702-00040	1	EA	\$5.00		BELLMONT INST.CORP.	N/A	N	3
	Hard copy	Operator Manual	702-00001	1	EA	\$39.60	\$39.60	BELLMONT INST.CORP.	N/A	N	3
	Physically big	Service Manual	702-00046	1	EA	\$45.89		BELLMONT INST.CORP.	N/A	N	3
6515015178115	Require item but not incl w/NSN	3 Bag Spike Disposable Set Model 2516	903-00006	1	12\ PG	\$1500.00		BELLMONT INST.CORP.	24	N	3

### INCUBATOR AUTO-READ TOC

### MINNESOTA MINING AND MFG CO MODEL # 290

Manufacturer's PHONE: () FAX () Website: http://www.3m.com

### AAC "J" ITEM NSN 6530-01-510-4685

UA's: 3267, 5267, N302, F302

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$999.00

**System Description:** This unit reads fluorescence produced by positive 3m attest rapid readout biological indicators 1291 and 1292 to indicate a sterilization process. A audible alarm and a red light indicates a sterilization failure. A green light indicates that sterilization conditions have been met.



**INCUBATOR MODEL #290** 

### INCUBATOR CHARACTERISTICS

Dimensions	Height.	5"
	Width.	14"
	Depth	7"
Weight	11 lbs	
Cubic Feet	.84 cu ft	
<b>Operating Temperature</b>	60.8°F to 109.4°F	
Operating Humidity	20% TO 80% non condensing	
Storage Temperature	60.8°F to 109.4°F	
Storage Humidity	20% TO 80% non condensing	
<b>Power Requirements</b>	110/240 Volts, 50/60 Hz , .4 amps	
WATTS	300	



3M Rapid Attest Biological Indicators Part #1291 & 1292

# INCUBATOR & CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, month s		CON US Ship Time, weeks
See Resuply	In The UA	INDICATOR STERILZ STRIP RAPID READOUT	1291	1	/PG			3M	24	N	3
See Resuply	In The UA	INDICATOR STERILIZATION BIOLOG RAPID READ	1292	1	PG			3M	24	N	3

# INCUBATOR & CONSUMABLES (RESUPPLY)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, month		CON US Ship Time,
INOIN	NOTES		FIN				FIICE	MFG	S	T/IN	weeks
		INDICATOR STERILZ			200/						
6530013663253	In The UA	STRIP RAPID READOUT	1291	1	PG	\$468.48	\$468.48	3M	24	N	3
		INDICATOR									
		STERILIZATION			200/						
6530014587657	In The UA	BIOLOG RAPID READ	1292	1	PG	\$468.48	\$468.48	3M	24	N	3

### **Rapid Readout Biological Indicators and Test Packs**

- Results in one hour (1291), three hours (1292) or four hours (1294)
- Test packs present a challenge to the sterilization process as do the AAMI recommended packs
- · Make decisions and take appropriate action before surgery
- · Every load monitoring and quarantining can eliminate recalls
- · Malfunctioning sterilizers can be repaired and put back into service quickly
- Each test pack contains a 3M<sup>™</sup> Attest<sup>™</sup> Rapid Readout Biological Indicator
- The 3M<sup>™</sup> Attest<sup>™</sup> Rapid Readout Biological Monitoring System can help reduce the costs associated with fighting infections—a cost measured in both dollars and time spent

Description	Packaging	Shipping
Rapid Readout Biological Indicator for 132°C zation	(270°F) Gravity Displa	cement
Steam Biological Indicator (Blue cap)	50 each/box	4 boxes/case
	zation	

## LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED TOC WITH CASE

### WELCH ALLYN MODEL # MIL-5062

Manufacturer's PHONE (315) 685-4560 FAX (315) 683-3361

Website: http://www.welchallyn.com

AAC "J" ITEM NSN 6515-01-526-4240

UA: 3267, 5267, N301, N308, 4268, F301, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$1250.00

#### **Features:**

Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations.

- Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade.
- Improved design with reduced proximal blade height assists in intubating patients with limited oral access.
- Single-piece stainless steel blades ensure blade integrity (no soldered joints).



PELICAN CASE, PART # 1490 NSN 6530-01-526-9659



LARYNGOSCOPE SET COMPREHENSIVE, PART #MIL-5062 NSN 6515-01-526-4240

### **CHARACTERISTICS**

Case Dimensions	Height	19 1/2"
	Width	14"
	Depth	4 3/4"
Weight	9.545 lbs	
Cube	.154	
Power Requirements	Battery Operated C Cell "AA"	
_	cell required	



SPARE LAMPS # 06000-U NSN 6515-01-519-4257 LAMP # 608125-501 NSN 6240-01-526-9631 MILLER SIZE 0 # 68060 NSN 6515-01-527-2281 MILLER SIZE 1 #68061 NSN 6515-01-442-3002



STUBBY HANDLE # 60815 NSN 6515-01-527-2289 "AA" HANDLE # 60814 NSN 6515-01-445-1081 "C" SIZE HANDLE # 60813 NSN 6515-01-445-1082



ENGLISH MACINTOSH SIZE 1 # 69211 NSN 6515-01-467-3729 ENGLISH MACINTOSH SIZE 2 # 69212 NSN 6515-01-467-4411 ENGLISH MACINTOSH SIZE 3 # 69213 NSN 6515-01-467-3430 ENGLISH MACINTOSH SIZE 4 # 69214 NSN 6515-01-467-3431



MILLER BLADE SIZE 2 # 68062 NSN 6515-01-527-2283 MILLER BLADE SIZE 3 # 68063 NSN 6515-01-519-4239 MILLER BLADE SIZE 4 # 68062 NSN 6515-01-527-2286

# LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES START-UP

NSN	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015269659	PELICAN CASE	1	EA	1490	\$30.37	\$30.37	WELCH ALLYN	N∖A	N	2
6515015194257	LIGHT BULB LARYNGOSCOPE	4		06000-U	\$30.37	\$121.98	WELCH ALLYN	N\A	N	2
6240015269631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N∖A	N	2
6515015272281	MILLER BLADE SIZE 0	1	EA	68060	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515014423002	MILLER BLADE SIZE 1	1	EA	68061	\$109.51	\$109.51	WELCH ALLYN	N\A	N	2
6515015272289	STUBBY HANDLE	1	EA	60815	\$101.58	\$101.58	WELCH ALLYN	N∖A	N	2
6515 015194259	"AA" HANDLE	1	EA	60814	\$132.97	\$132.97	WELCH ALLYN	N∖A	N	2
6515014451082	"C" SIZE HANDLE	1	EA	60813	\$79.39	\$79.39	WELCH ALLYN	N∖A	N	2
6515014673429	ENGLISH MACINTOSH SIZE 1	1	EA	69211	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515014674411	ENGLISH MACINTOSH SIZE 2	1	EA	69212	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515014673430	ENGLISH MACINTOSH SIZE 3	1	EA	69213	\$92.22	\$92.22	WELCH ALLYN	N∖A	N	2
6515014673431	ENGLISH MACINTOSH SIZE 4	1	EA	69214	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515015272283	MILLER BLADE SIZE 2	1	EA	68062	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515015194239	MILLER BLADE SIZE 3	1	EA	68063	\$182.59	\$182.59	WELCH ALLYN	N∖A	N	2
6515015272286	MILLER BLADE SIZE 4	1	EA	68064	\$109.51	\$109.51	WELCH ALLYN	N A	N	2
6240015269660	Pen Lite	1	EA	76600	\$48.00	\$48.00	WELCH ALLYN	N A	N	2

# LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.98	WELCH ALLYN	N∖A	N	2
6240015269631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N∖A	N	2

### LIGHT HEAD GENERAL PURPOSE HEADBAND TOC

### WELCH ALLYN. MODEL # 49020M

Manufacturer's PHONE: (315) 685-4560 FAX (315) 683-3361

Website: http://www.welchallyn.com

### AAC "L" ITEM NSN 6230-01-520-3474

UA's: 3267, 4901, 4905, 5267, N320, N301, N308, N309, N314, 4714, F301, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$447.53

#### **Features:**

- Weighting less than four ounces, it's one of the most comfortable lightweight headlights available
- With a color temperature of 5500 Kelvin, this light supplies bright, white, shadow-free light allowing the end user to see tissue characteristics without distortion
- It's operating life expectancy is 10.000
- Enjoy the flexibility of operating the headlight using the direct power source or the rechargeable "belt-clip: portable power source.

#### **Clinical Benefits**

- Long operating life (10,000 hours of continuous burn)
- More energy efficient than incandescent and halogen lamps
- Cool beam is safe to touch
- Instant light (less than 100ns)
- Virtually maintenance-free operation
- No UV rays

**Suggested Applications** The Solid State Procedure Headlight provides ideal illumination for procedures such as minor surgery, general examinations, foreign body removal, OB/GYN applications and procedures, dermatology examinations or any procedure that requires a small, homogenous and well-defined spot.

### WELCH ALLYN. SURGICAL HEADLIGHT



### **Technical Specifications**

**Spot Size Range:** 1.5 to 6 inches at the working distance **Light Source**: Five-watt Solid State lamp, color temperature 5500 Kelvin, TBD Lumens, life 10,000 hours continuous

burn

Working Distance: 16 inches

**Battery Run-Time**: One hour continuous run-time on a fully charged battery

**Battery Life:** Approximately 2.5 years (depending on usage)

Warranty: One-year limited warranty

### CONSUMABLES ACCESSORIES STARTUP

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	CONU S Ship Time, weeks
6530015225307	Included W/NSN	Carrying Case	49099	1	EA	\$193.98	\$193.98	WELCH ALLYN	2
6230015221304		Charger Only for Portable Power Source	74180	1	EA	\$37.11	\$37.11	WELCH ALLYN	2
6230015221307	Included W/NSN	Portable Power Source Only	75200	1	EA	\$154.78.	\$154.78	WELCH ALLYN	2
6230015221337	Included W/NSN	Direct Power Supply	75270	1	EA	\$50.75	\$50.75	WELCH ALLYN	2



CARRYING CASE, PART# 49099 6530015225307



Portable Power Source Only PART # 75200 6230015221307



DIRECT PLUG IN TRANSFORMER UNIT, PART # 75270 6230015221337

<del>UJ</del>



CHARGER, PART # 74180 

### MONITOR OXYGEN PORTABLE POWERED BY 9V AC BATTERY TOC

### MINE SAFETY APPLIANCES COMPANY MODEL MINIOX 3000

Manufacturer's PHONE: (724) 773-9271 FAX (724) 773-8573

Website: <a href="http://www.msanorthamerica.com">http://www.msanorthamerica.com</a>

### AAC "J" ITEM NSN 6515-01-440-9394

UA's: 3267, 5267

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$411.75** 

### **Item Description:**


The MiniOX 3000 Oxygen Monitor features high and low oxygen concentration alarms, automatic calibration, battery life indicators and alarms, sensor/cable disconnect alarm, and an alarm verification indicator.


The MiniOX 3000 Oxygen Monitor is perfect for "in line" oxygen monitoring in such applications as hospital and home ventilators, NICU, and anesthesia delivery equipment.



### MONITOR OXYGEN PORTABLE CHARACTERISTICS

Dimensions	Height	5.98"
	Width	3.26"
	Depth	1.31"
Weight		9.2 oz
<b>Cubic Feet</b>		0.0147 cuft
<b>Operating Temperature</b>	32°F to 104°F	
Storage Temperature	-40°F to 158°F	
Operating Humidity	5% to 95%	
Storage Humidity	5% to 95%	
<b>Power Requirements</b>	9 Volts DC	





# OXYGEN MONITOR CONSUMABLES & ACCESSORIES (START-UP)

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515013181535	INCLUDED W/NSN	OXYGEN SENSOR	406931	1	ΕA	\$86.47	\$86.47	MINE SAFETY APPLIANCES	6	N	3
6515013206493	INCLUDED W/NSN	10 FT. CABLE	472045	1	EA	\$47.43	\$47.43	MINE SAFETY APPLIANCES	N∖A	N	3
6515013205620	INCLUDED W/NSN	ADAPTER TEE	90-3-23-8 MSP	1	EA	\$5.27	\$5.27	MINE SAFETY APPLIANCES	N∖A	N	3
	INCLUDED W/NSN	Operator Manual	711449	1	EA	N/C	N/C	MINE SAFETY APPLIANCES			
6515013280250	OPTIONAL		90-7-26-5 FS	1	ΕA	\$51.65	\$51.65	MINE SAFETY APPLIANCES	N∖A	N	3
See Resupply	INCLUDED W/NSN		See Resupply	1	ΕA			MINE SAFETY APPLIANCES	N\A	N	3

# OXYGEN MONITOR CONSUMABLES & ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONUS Ship Time, weeks
6515013181535	OXYGEN SENSOR	406931	1	ΕA	\$86.47	\$86.47	MINE SAFETY APPLIANCES	6	N	3
6515013206493	10 FT. CABLE	472045	1	EA	\$47.43	\$47.43	MINE SAFETY APPLIANCES	N∖A	N	3
6515013205620	ADAPTER TEE	90-3-23-8 MSP	1	EA	\$5.27	\$5.27	MINE SAFETY APPLIANCES	N∖A	N	3
	Operator Manual	711449	1	ΕA	N/C	N/C	MINE SAFETY APPLIANCES			
6515013280250	MOUNTING BRACKET	90-7-26-5 FS	1	ΕA	\$51.65	\$51.65	MINE SAFETY APPLIANCES	N∖A	N	3
6135009002139	9 Volt DC Battery	MN1604	1	12/ PG	\$56.56	\$56.56	MINE SAFETY APPLIANCES	N∖A	N	3

### MONITOR PATIENT VITAL SIGNS SPO<sup>2</sup> TOC

#### **WELCH ALLYN**

MODEL #: PROPAQ 206 EL W/PULSE OXIMETRY Manufacturer's PHONE: (503)-530-7500 FAX (503)-530-4910

Website: http://www.welchallyn.com

AAC "W" ITEM 6515-01-465-3285 AAC "J" ITEM 6515-01-432-2707

UA's: 2257, 2261, 3257, 5267, 9300, 9302, 9303, 9306, 261A, 257A, 267A, N308, N309, F308, F309

USAMMA POC: Equipment Acquisition Division, 301-619-4060, DSN 343-4060

**UNIT PRICE: \$16,812.69** 

**SYSTEM DESCRIPTION:** Rugged, lightweight, portable vital signs monitor for field use.

### **TEST PERFORMED**

Heart/Pulse rate
3-5 Lead ECG
Non Invasive BP
2 Channel Invasive BP
Temperature
Pulse Oximetry
Respiration


### **ADVANTAGES**

Motion tolerant monitoring. Small, lightweight Ease of use Modular Ruggedized Automatic sensor detection




Operator Familiarization: CD-ROM is available.

### PROPAQ 206 EL VITAL SIGNS MONITOR RIGHT SIDE VIEW





5 LEAD ECG CABLE, WITH ATTACHED LEAD WIRES, (008-0313-00)



NIBP CUFF,ADULT STUFF W/TWIST LOCK CONNECTOR (008-0628-00)




CABLE, PULSE OXIMETRY, 8 FEET, (008-0742-00)



HOSE, NIBP ADULT/PEDIATRIC, (008-0238-00)



AC POWER ADAPTER, (503-0054-0)



**NIBP CUFF KIT ADULT, (008-0324-00)** 



DURASENSOR REUSABLE FINGER, SPO2, (900-0021-00)



NIBP CUFF KIT PEDIATRIC, (008-0324-00)



NIBP CUFF KIT THIGH, (008-0324-00)



TEMPERATURE PROBE, 008-0230-00



MILITARY REUSABLE CONTAINER (008-0586-00)
WITH ACCESSORIES SHOWN

# PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	9.6"	
	Width	8.2"	
	Depth	7.6"	
Weight		13.5 lbs	
Operating Temperature			
		0 to 40C degrees	
Storage Temperature		-20 to 60C degrees	
Humidity		15% to95% non-condensing	
Power Requirements		110/208VAC=/- 10%, 50/60	12-23 VDC
		HZ	
		.06 KW	

# PROPAQ 206EL MONITOR WITH PULSE OXIMETRY (STARTUP)

NSN	NOTES	Nomenclature	QTY	TIT	PART#	UNIT PRICE	Total Price	MFG	Shelf Life, month	Refrig Y/N	CONUS Ship Time, weeks
See Resupply 10	NOTES	Nomenciature	QII	O1	See Resupply	I KICL	Total Trice	Welch	5	1/11	WEEKS
Roll	Incl W/ NSN	Paper 3 Rolls	3	EA	10 Roll			Allyn	Indef	N	2
6515015189543	Incl W/ NSN	1 pkg of 5 Electrodes Gelled	1	PG	6200-10	\$5.00	\$5.00	Welch Allyn	indef	N	2
6515015195855	Incl W/ NSN	Electrode Electrocardiograph	1	30/BG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2
6515015189559	Incl W/ NSN	Military Container	1	EA	008-0586-00	\$576.40	\$576.40	Welch Allyn	Indef	N	2
6515015190163	Incl W/ NSN	Pulse oximetry probe reusable durasensor DS100A	1	EA	900-0021-00	\$337.00	\$337.00	Welch Allyn	Indef	N	2
6515015189839	Incl W/ NSN	Temp Probe General Purpose Reusable Adult General Purpose	1	EA	008-0230-00	\$63.32	\$63.32	Welch Allyn	Indef	N	2
6515014989984	Incl W/ NSN	Temp Extension Cable, 10 ft for Reusable Temp probe	1	EA	008-0235-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2
6515015189556	Incl W/ NSN	NIBP Cuff, adult standard reusable w/ "twist lock" connector	1	EA	008-0628-00	\$35.00	\$35.00	Welch Allyn	Indef	N	2
6515015190962	(must designate 5 lead) Incl W/ NSN	ECG Cable, 5 lead, 10 foot, W/5 attached lead wires, snap	1	EA	008-0313-00	\$91.00	\$91.00	Welch Allyn	Indef	N	2
6515015191102	Incl W/ NSN	AC Adapter for recharging battery, 120 VAC 60 HZ	1	EA	503-0054-02	\$122.00	\$122.00	Welch Allyn	Indef	N	2
6515015039828	Incl W/ NSN	Power Cord, Hospital Grade 100-120 VAC	1	EA	008-0333-00	\$23.00	\$23.00	Welch Allyn	Indef	N	2
6515015010661	Incl W/ NSN	Cable, Pulse Oximetry, 8 foot extension	1	EA	008-0742-00	\$65.00	\$65.00	Welch Allyn	Indef	N	2
6515014365080	Incl W/ NSN	Hose, NIBP Adult/Pediatric	1	EA	008-0238-00	\$20.00	\$20.00	Welch Allyn	Indef	N	2
6515015191100	Incl W/ NSN	Cuff Kit, NIBP adult reusable w/ "twist lock" connector	1	EA	008-0324-00	\$94.97	\$94.97	Welch Allyn	Indef	N	2
7610015189140	Incl W/ NSN	Technical Reference Guide (Service Manual), CD FORMAT	1	EA	810-1084-01	\$45.00	\$45.00	Welch Allyn	Indef	N	2
Need NSN	Incl W/ NSN	(Service Manual), Hard Copy Format	1	EA	810-1316-02	\$45.00	\$45.00	Welch Allyn	Indef	N	2
7610015189122	Incl W/ NSN	Operator's Manual Hard Copy Format	2	EA	810-0867-00	\$45.00	\$90.00	Welch Allyn	Indef	N	2

### PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6515014128673	Paper, Printer, Roll	1	10PG	008-0040-98x	\$27.00	\$27.00	Welch Allyn	Indef	N	2	
											FINGER 6
6515015195855	Electrode Eltrocardiograph	1	30PG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2	PATIENTS

# PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES OPTIONAL ITEMS

NSN	NOTES	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price		Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks
7610015189142	Optional Item	Video, In-service North America (NTSC)	1	EA	810-0835-00	\$38.00	\$38.00	Welch Allyn	indef	N	2
6515012714894	Optional Item	SENSOR,SPO2,FINGER DISPOSABLE	1	24sPG	D-25	\$394.18	\$394.18	NELLCOR	indef	N	2

### MONITOR VITAL SIGNS W/SPO<sup>2</sup>,W/CAPNO <u>TOC</u>

#### WELCH ALLYN

MODEL#: PROPAQ 206EL MONITOR W/SPO<sub>2</sub> AND CAPNOGRAPHY

(Side stream, mainstream or dual)

Manufacturer's PHONE: (503) 530-7500 FAX: (503) 530-4910

Website: http://www.welchallyn.com

AAC "W" NSN 6515-01-465-3289 AAC "J" NSN 6515-01-432-2711

UA's: 2267, 3267, 267B, 905A, 912A, N301, N308, N309, N432, F301, F308, F309, F383

USAMMA POC: Equipment Acquisition Division, 301 619-4060, DSN 343-4060 UNIT PRICE: SPO<sup>2</sup>, Capnography (Sidestream, mainstream or dual \$10,548)

System Description: Rugged, lightweight, portable vital signs monitor for field use

### **TEST PERFORMED**

# Heart/Pulse rate 3-5 Lead ECG Non Invasive BP 2 Channel Invasive BP Temperature Pulse Oximetry Respiration

### **ADVANTAGES**


Motion tolerant monitoring. Small, lightweight Ease of use Modular Ruggedized Automatic sensor detection

# PROPAQ 206 EL VITAL SIGNS MONITOR FRONTAL VIEW




**Operator Familiarization:** CD-ROM is available.

### PROPAQ 206 EL VITAL SIGNS MONITOR LEFT SIDE VIEW



# PROPAQ 206 EL VITAL SIGNS MONITOR RIGHT SIDE VIEW





ECG CABLE, 5 LEAD, (008-0313-00)



NIBP CUFF, ADULT (008-0628-00)




CABLE, PULSE OXIMETRY, 8 FEET, (008-0742-00)



 $\begin{array}{c} HOSE,\,NIBP\,ADULT/PEDIATRIC,\\ (008-0238-00) \end{array}$ 




**AC POWER ADAPTER, (503-0054-00)** 



**NIBP CUFF KIT ADULT, (008-0324-00)** 



DURASENSOR REUSABLE FINGER, SPO<sup>2</sup>, (900-0021-00)



NIBP CUFF KIT PEDIATRIC, (008-0324-00)




KIT NIBP CUFF THIGH, (008-0324-00)



TEMPERATURE PROBE, (008-0230-00)



SIDE STREAM CANNULA CO<sup>2</sup> W/WATER TRAP ADULT (008-0769-00) CHILD (008-0770-00)



CO<sup>2</sup> Sensor Airway Adapter with 10' cable 008-0502-00

 $CO^2$  Airway Adapters Single Pt use for Mainstream only 008-0367-00



MILITARY REUSABLE CONTAINER (008-0586-00)
WITH ACCESSORIES SHOWN

# PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	9.6"
	Width	8.2"
	Depth	7.6"
Weight		
		13.5 lbs
<b>Operating Temperature</b>		0° to 40°C degrees
Storage Temperature		-20° to 60°C degrees
<b>Humidity non-condensing</b>		15% to 95%
Power Requirements		110/208VAC=/- 10%, 50/60 HZ
		.06 KW
		12-23 VDC

# VITAL SIGNS MONITOR WITH SPO<sup>2</sup> AND CAPNOGRAPHY (START-UP)

						UNIT			Shelf Life, month	Refrig	CONUS Ship Time,
NSN	NOTES	Nomenclature	QTY	UI	PART#	PRICE	Total Price	MFG	s	Y/N	weeks
See Resupply 10 Rolls	Incl W/ NSN	Paper 3 Rolls	3	EA	See Resupply 10 Roll			Welch Allyn	Indef	N	2
6515015189543	Incl W/ NSN	1 pkg of 5 Electrodes Gelled	1	PG	6200-10	\$5.00	\$5.00	Welch Allyn	indef	N	2
6515015195855	Incl W/ NSN	Electrodes Electrocardiograph	1	30/BG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2
6515015189559	Incl W/ NSN	Military Container	1	EA	008-0586-00	\$576.40	\$576.40	Welch Allyn	Indef	N	2
6515015190163	Incl W/ NSN	Pulse oximetry probe reusable durasensor DS100A	1	EA	900-0021-00	\$337.00	\$337.00	Welch Allyn	Indef	N	2
6515015189839	Incl W/ NSN	Temp Probe General Purpose Reusable Adult	1	EA	008-0230-00	\$63.32	\$63.32	Welch Allyn	Indef	N	2
6515014989984	Incl W/ NSN	Temp Extension Cable, 10 ft for Reusable Temp probe	1	EA	008-0235-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2
6515015189556	Incl W/ NSN	NIBP Cuff, adult standard reusable w/ "twist lock" connector	1	EA	008-0628-00	\$35.00	\$35.00	Welch Allyn	Indef	N	2
6515015190962	(must designate 5 lead) Incl W/ NSN	ECG Cable, 5 lead, 10 foot, W/ 5 attached lead wires, snap	1	EA	008-0313-00	\$91.00	\$91.00	Welch Allyn	Indef	N	2
6515015191102	Incl W/ NSN	AC Adapter for recharging battery, 120 VAC 60 HZ	1	EA	503-0054-02	\$122.00	\$122.00	Welch Allyn	Indef	N	2
6515015039828	Incl W/ NSN	Power Cord, Hospital Grade 100-120 VAC	1	EA	008-0333-00	\$23.00	\$23.00	Welch Allyn	Indef	N	2
6515015010661	Incl W/ NSN	Cable, Pulse Oximetry, 8 foot extension	1	EA	008-0742-00	\$65.00	\$65.00	Welch Allyn	Indef	N	2
6515014365080	Incl W/ NSN	Hose, NIBP Adult/Pediatric	1	EA	008-0238-00	\$20.00	\$20.00	Welch Allyn	Indef	N	2
6515015191100	Incl W/ NSN	Cuff Kit, NIBP adult reusable w/ "twist lock" connector	1	EA	Keep old #008- 0324-00	\$94.97	\$94.97	Welch Allyn	Indef	N	2
7610015189140	Incl W/ NSN	Technical Reference Guide (Service Manual), CD FORMAT	1	EA	810-1084-01	\$45.00	\$45.00	Welch Allyn	Indef	N	2
NEED NSN	Incl W/ NSN	Service Manual), Hard Copy Format	1	EA	810-1316-02	\$45.00	\$45.00	Welch Allyn	Indef	N	2
7610015189122	Incl W/ NSN	Operator's Manual Hard Copy Format	2	EA	810-0867-00	\$45.00	\$90.00	Welch Allyn	Indef	N	2
6515015224095	INCL. W/NSN	Adult Nasal Cannula w/SamplingLine and Water trap	1	EA	008-0769-00	\$317.00	\$317.00	Welch Allyn	Indef	N	2
6515 014755511	INCL. W/NSN	CO2 Sensor Airway Adapter with 10' cable	1	EA	008-0502-00	\$1899.45	\$1899.45	Welch Allyn	Indef	N	2
6515014468319	INCL. W/NSN	Adapter CO <sup>2</sup> Airway Patient Vital Signs Monitor Adult/Pediatric	1	EA	008-0132-00	\$144.05	\$144.05	Welch Allyn	Indef	N	2
6515 014989984	INCL. W/NSN	Cable Temperature 10' Ext, For Reusable Temp Probe	1	EA	008-0235-00	\$49.98	\$49.98	Welch Allyn	Indef	N	2
	INCL W/NSN	Probe, Temperature, Reusable, Adult General		EA				Welch			
6515015193763		Purpose	1	<u> </u>	008-230-00	\$49.75	\$49.75	Allyn	Indef	N	2

### VITAL SIGNS MONITOR WITH SPO<sup>2</sup> AND CAPNOGRAPHY (RESUPPLY)

								Shelf Life,		CONUS Ship	
					Unit	Total		month	Refrig	Time,	
NSN	Nomenclature	QTY	UI	PART#	Price	Price	MFG	S	Y/N	weeks	NOTES
6515014128673	Paper, Printer, Roll	1	10PG	008-0040-98x	\$27.00	\$27.00	Welch Allyn	Indef	N	2	
	Electrodes										FINGER 6
6515 015195855	Electrocardiograph	1	30pg	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2	PATIENTS
	Adapter airway CO <sup>2</sup> single PT USE low										
6515014470079	dead space	1	10/pg	008-0263-00	\$163.25	\$163.25	Welch Allyn	indef	N	2	

The Propaq 206 monitors are shipped complete with adult, pediatric, and neonatal monitoring capability. The monitor includes 3 or 5 lead ECG (user specified), NIBP, 2 IBP, 2 TEMP, Respiration and Nellcor SpO<sub>2</sub>. Includes a 3 year warranty.

### VITAL SIGNS MONITOR WITH SPO<sup>2</sup> AND CAPNOGRAPHY OPTIONAL ADDITIONAL ACCESSORIES

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515012714894	Optional	Sensor ,SPO2,Finger Disposable	D-25	01	EA	\$.394.18	\$394.18	NELLCOR	indef	N	2
6515014466260	Optional	CO <sup>2</sup> Sensor Airway Adapter w/10 ft cable for Mainstream	008-0130-01	01	EA	\$2,016.63	\$2,016.63	Welch Allyn	N	N	2
6515 015224081	Optional	CO <sub>2</sub> Airway Adapters, Multi-use Adult/Peds	008-0261-00	01	EA	\$691.95	\$691.95	Welch Allyn	N	N	2
6515 014470079	Optional	CO <sub>2</sub> Airway Adapters, Single PT Use Low Deadspace	008-0263-00	01	EA	\$343.72	\$343.72	Welch Allyn	N	N	2
6515 015224101	Optional	Pediatric Nasal Cannula w/Sampling Line and Water trap	008-0770-00	01	EA	\$328.00	\$328.00	Welch Allyn	N	N	2
6515 015224084	Optional	CO2 Airway Adapters Single Pt use for Mainstream only	008-0367-00	01	EA	\$288.00	\$288.00	Welch Allyn	N	N	2
6515013960711	Optional	Paper EKG 100 ft yd L X 60MM w/100 rolls	008-0040-99	01	EA	\$271.35	271.35	Welch Allyn	N	N	2
6515014346106	Optional	Cable Monitoring Set Arterial Pressure Reusable 15 ft	42661-04	01	EA	\$118.58	\$118.58	Abbott	N	N	2
6515014341421	Optional	Monitoring Set Arterial Pressure Sterile /20s	42589-05	02	PG	\$871.81	\$1,743.62	Abbott	N	N	2

### WELCH ALLYN MODEL# 92821

Manufacturer's PHONE: (503) 530-7500 FAX (503) 526-4919

Website: <a href="http://www.welchallyn.com">http://www.welchallyn.com</a>

### AAC "J" ITEM NSN 6515-01-333-3165

UA's: 2256, 2265, 2264, 3261, 3264, 3267, 4268, 4901, 4902, 5256, 5261, 5265, 5267, 7051, 7054, N301, N308, N309, N310, N311, N313, N315, N316, N320, N713, F301, F308,F309,F310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$230.58

#### Features:

- 2.5V PocketScope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has 6 aperture selections for general and specialist use, and 48 lenses for better resolution.
- 2.5V Otoscope also has built-in throat illuminator two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification.
- 2.5V PocketScope handle has a smooth rheostat to control light intensity and features a handy pocket clip.



### ACCESSORIES PACKAGE (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONU S Ship Time, weeks
6515015205740	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	FA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1		03900-U		\$13.21	WELCH/ALLYN		N	2
6515015205763	INCLUDED WITH NSN	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	INCLUDED WITH NSN	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	NSN	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2
6545015190982	INCLUDED WITH NSN	CASE SOFT ZIPPER F/POCKETSCOPE	1	EA	05928-U	\$12.00	\$12.00	WELCH/ALLYN	indef	N	2

### CONSUMABLES/ OPTIONAL (RESUPPLY)

								Shelf Life,		CONU S Ship
						Total			Refrig	Time,
NSN	Nomenclature	QTY	UI	PART#	Unit Price		MFG	S	Y/N	weeks
	BATTERY NONRECHARGEABLE ALKALINE 1.5V 1 YEAR			20-0571- 1988			AMERICAN NATIONAL STANDARDS			
6135009857845	SHELF LIFE 24S, AA CELL	1	PG	NEDA 15A	\$4.78	\$4.78	INST	indef	N	2
6515015250236	DISPOSABLE SPECULA 4.25MM, 800 COUNT/BAG	1	PG	31237- 010A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015250240	DISPOSABLE SPECULA 2.75MM, 800 COUNT/BAG	1	BX	31237- 020A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015205740	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
	BULB REPLACEMENT EXAM INSTRUMENT									
6515015205754	F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2

### ACCESSORIES PACKAGE RESUPPLY

NSN	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month	Refrig Y/N	CONU S Ship Time, weeks
6515015205740	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515015205763	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2

### PATIENT WARMING SYSTEM UNIT, BAIR HUGGER TOC

### Augustine Medical Bair Hugger W/CASE Model 505,

Manufacturers' Phone: (952) 947-1200 FAX (952) 947-1400 Website: http://www.latinhealthgroup.com/warmingUK.htm

### AAC "L" ITEM NSN 6530-01-463-6823

UA's: 3267, 3912, 4905, 4912, 5267, N301, N308, N309, F301, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$988.00

**System Description:** Forced-air warming unit providing safe, quiet and effective warming to patients.

**Features:** Portable, lightweight, unique snap-fit hose for easy blanket attachment. Easily attaches to an IV pole or bedrail.







## BAIR HUGGER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	13"
	Width	10"
	Depth	11"
Weight	11.5 lbs	
<b>Operating Temperature</b>	High 109.4° ± 5.4°F	
	Med 100.4° ± 5.4°F	
	LOW 89.6° ± 5.4°F	
Air Flow	28 cu ft/min	
Storage Temperature	-40 to+122°F	
Humidty	15 to 90 %	
non-condensing		
Power Requirements	120 VAC/60 Hz	220 VAC/50 Hz
_	9.5 amps, 1100 watts	4.5 amps 1000watts

### **BAIR HUGGER CONSUMABLES RESUPPLY**

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONUS Ship Time, weeks	NOTES
6532-01-387-5842	OPTIONAL	Blanket Torso	540	1	10/pg	\$122.98	\$122.98	Augustine Medical		N	2	Optional Item
6532-01-522-4921	Included W/NSN	Blanket Full body surgical	610	1	10/pg	\$103.50	\$103.50	Augustine Medical		N	2	
6532-01-526-5337	Included W/NSN	Blanket Surgical Access	570	1	10/pg	\$102.00	\$102.00	Augustine Medical		N	2	
6532-01-356-4851	In The UA	Blanket lower body	525	1	15/pg	\$146.00	\$146.00	Augustine Medical		N	2	
6532-01-388-4182	In The UA	Blanket upper body	522	1	10pg	\$122.88	\$122.88	Augustine Medical		N	2	
6515-01-463-6893	Included W/NSN	FILTER	90009	1	EA	\$39.00	\$39.00	Augustine Medical		N	2	

### **BAIR HUGGER ACCESSORIES PACKAGE (START-UP)**

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
Included w/ NSN	Included W/NSN	HOSE	90003	1	EA	\$63.06	\$63.06	Augustine Medical		N	2	
6515 015242953	Included W/NSN	HOSE CLIP	90017	1	EA	\$3.90	\$3.900	Augustine Medical		N	2	
6515 015242947	Included W/NSN	SHEET CLIP	90063	1	EA	\$5.46	\$5.46	Augustine Medical		N	2	
7610015222841	Included W/NSN	Operator Manual	OPM			N\C	N\C	Augustine Medical		N	2	
7610015222837	Included W/NSN	Service Manual	OSM			N\C	N\C	Augustine Medical		N	2	
6530015237536	Included W/NSN	Hardened Case	505252	1	EA	\$1500.00	\$1500.00	Augustine Medical		N	2	

### ALARIS MEDSYSTEM 111 MODEL2865B

Manufacturer's PHONE: (858) 458-6003, Fax (858) 458-7507

Website: <a href="http://www.alarismed.com">http://www.alarismed.com</a>

AAC "W" ITEM NSN 6515-01-381-4456 AAC "J" ITEM NSN 6515-01-486-4310

UA's: 2256, 2257, 3257, 3267, 3912, 4905, 4912, 5267, 5257, 5261, 9300, 9301, 9302, 9303, 9304, 9306, N301, N308, N309, N310, F301, F308, F309, F310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$5,704.51

**System Description:** Three independent infusion channels for the delivery of a wide range of fluids from various containers including syringes. Also provides a secondary delivery of intermittent medications, fluid challenges, or loading doses from each channel. Each line can deliver a separate drug, helping to eliminate incompatibility and drug sequencing concerns.

Advantages: 1. Rapid on-line titration w/o interrupting flow. 2. Configurable air-in-line thresholds, rate and volume ranges, occlusion alarm settings and KVO rates. 3. Titration of drugs in either dose or volumetric rate. 4. Streamlined PMCS and calibration processes.





Administrative Set Piggy Back (72213N) NSN 6515014164032 (100 PG)



Administrative Set Main Stream Line (28034) NSN 6515014348712 (50 PG)

### IV PUMP PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	7.9"
	Width	6.0"
	Depth	2.1"
Weight		3.6 lbs
Internal Battery		Main Rechargeable Nicad Battery, Memory Backup
		Nonrechargeable Lithium
Battery Capacity		Minimum 6 hours with all three channels at 125 ml/hr
Operating Temperature		50°F to 104°F
Humidity		90 %
Power Requirements		110/120VAC/60HZ
_		6 WATTS AC POWER

### IV PUMP CONSUMABLES (START-UP) & (RESUPPLY)

			QT			UNIT	Total		Shelf Life,	Refrig	CONU S Ship Time,
NSN	Notes	Nomenclature	Y	UI	PART#	PRICE	Price	MFG	months	Y/N	weeks
	Included							ALARIS			
6515014348712	W/NSN	Administration set	01	50PG	28034	\$399.11	\$399.11	MEDICAL	Indef	N	2
								ALARIS			
6515014164032	In the UA	Administration set	01	100PG	72213N	\$184.12	\$184.12	MEDICAL	Indef	N	2
6515014523450	In the UA	Administration set	2	PG	28080E	\$242.00	\$484.00	CARDINAL	Indef	N	2
6515014523445	In the UA	Administration set	1	PG	28034E	\$286.00	\$286.00	CARDINAL	Indef	N	2

### REFRIGERATOR BLOOD COOLING& STORAGE FIELD ENVIRONMENT TOC

# DOUBLEDAY ACQUISITIONS LLC ACUTEMP MODEL # HMC-MIL-1

Manufacturer's PHONE: (937) 312-0114 Fax (937) 312-1277 Website: http://www.estglobal.com/hemacool military.html

AAC "W" ITEM NSN 4110-01-497-9564 AAC "J" ITEM NSN 4110-01-506-0895

UA's: 213A, 3263, 3267, 901A, 504A, N302, N504, N703, N503, N304, N303, N704, F303, F306

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$5,560.00


**Description:** The HemaCool<sup>™</sup> employs new technology to protect critical blood supplies under field conditions. It is ergonomically designed for operations in adverse environments, incorporating features and controls to precisely maintain the required temperature for blood storage.

#### **Features:**

- Precise temperature control under adverse conditions
- Easily transportable
- Can run on a variety of power sources including AC, DC, onboard batteries, and solar array
- Rugged design for demanding applications
- Available with Sled Rails, Wheels, or Skis

### HEMACOOL REFRIGERATION SYSTEM











### HEMACOOL REFRIGERATION SYSTEM PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	21.8 inches
	Width	21 inches
	Length	37.5 inches
Payload Dimensions	Height	13 inches
Payload Volume	Width	14 inches
	Length	18 inches
Payload Volume		2 cu ft (56.6 liters)
Empty Weight,		145 lbs
Cube		9.5 cu ft
Storage Only		40 x 450 ml or 60 x 250 ml units
Operating Temperature		-4°F min., 120°F max. (-20°C to 49°C)
Storage Temperature		-22°F min., 149°F max. (-30°C to 65°C)
Temperature Limits		-4°F min., 120°F max. (-20°C to 49°C)
Battery Set (2 Each)		12/24 VDC Internal 40 amp-hour Battery Set
Power Requirements		100/240 Volts AC, 46/63 Hz
amps		.55 amps
Watts		55 watts







### HEMACOOL, BLOOD BAG BASKET PART # 100000



HEMACOOL SHOWN WITH PLASMA Part # HMC-MIL-1



HEMACOOL CONTROL PANEL



HEMACOOL SHOWN WITH VACCINE Part # HMC-MIL-1

# HEMACOOL REFRIGERATION SYSTEM ACCESSORIES AND CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONU S Ship Time, weeks
6515015130792	INCLUDED W/NSN	Blood Basket	100,000	5	EA	\$16.44	\$82.20	ACUTEMP	N/A	N	2
4110015188542	INCLUDED W/NSN	AC Power Cord	VXC-1-06	1	EA	\$16.00	\$16.00	ACUTEMP	N/A	N	2
6150015121007	INCLUDED W/NSN	DC Power Cord	100003	1	EA	\$87.00	\$87.00	ACUTEMP	N/A	N	2
4110015188252	INCLUDED W/NSN	Battery	101880	2	SE	\$60.00	\$120.00	ACUTEMP	N/A	N	2

# HEMACOOL REFRIGERATION SYSTEM CONSUMABLE (RESUPPLY)

NSN	Nomenclature	PN	ОТҮ	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONU S Ship Time, weeks
4110015188252	Battery	101880	2	CE.	\$60.00	\$120.00	ACUTEMP	N/A	N	2

## COMPANY IS OUT OF BUSINESS ITEMS ARE STILL IN STOCK

### SINK UNIT SURGICAL SCRUB TOC

### RAN-PAIGE CO INC MODEL 0200-96-C-8509

AAC "W" ITEM NSN 6530-01-431-9005 AAC "J" ITEM NSN 6530-01-429-6715

UA's: 3267, 3724, 4901, 4905, 5267, F301, F304, F306, F308, F309, N301, N303, N305, N306, N 308, N309, N310, N311, N312, N313, N315, N316, N436, N503, N504 N506, N513, N523, N703, N706, N713, N725

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$946.74

**Special Features:** Portable and light weight. Consists of a hollow tubular frame support, a plastic polypropylene basin, a pump and a heater, a foot pedal and associated tubing and electrical components. Electrical and water are activated by the foot pedal. The water heater is an encapsulated inline type 1200 to 1300 Watts. The maximum water temperature is 125 degrees. This includes a reusable container.



#### **CHARACTERISTICS**

Dimensions	Height	N/A
	Width	N/A
	Depth	N/A
Weight	59 lbs	
Cubic ft	6.16	
Power Requirements	115/230 VAC, 50/60 Hz	
_	1300 Watts	

#### STERILIZER SURGICAL INSTRUMENT STEAM TOC

## THIS SYSTEM IS PURCHASED FROM GOVERNMENT SCIENTIFIC SYSTEMS INC.

## MANUFACTURED BY TUTTNAUER USA CO. MODEL # 2540M

Manufacturer's Phone: (631) 737-4850 FAX: (631) 737-0720


Website: <a href="http://www.govsci.com">http://www.govsci.com</a>
<a href="http://www.tuttnauer.com">http://www.tuttnauer.com</a>

AAC "J" ITEM NSN 6530-01-531-4807

UA's: 3267, 3724, 4724, 4901, 4905, 4912, 5267

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$3,611.54

**Special Features:** A fast Cycle Time .9 minutes from a hot start \*(Standard Unwrapped Cycle time). Automatic shut off at the end of both the sterilization and dry cycles. A long life electro polished chamber and door. It has a double safety locking device that prevents the door from opening while chamber is pressurized. The drain valve is located on the front, allowing for a quick and easy draining of water reservoir. It has a dual safety thermostat to protect against overheating. This sterilizer is a table top steam autoclave; sterilization cycle and separate drying cycle feature automatic shut off. The size of the chamber is 10 inches by 18 inches deep




STERILIZER, TUTTNAUER



Hardened Case for the Tuttnauer Sterilizer



Sterilizer shown in Hardened Case



**Instrument Pouch Rack** 

### Characteristics

<b>Overall Dimensions</b>		
	Height	14"
	Width	20"
	Depth	20"
Operating temp	59° to 95 ° F	
Storage temp	59° to 95° F	
Relative humidity	0 to 85%	
<b>Chamber Dimensions</b>		10" diameter x18" deep"
Weight	50 lbs	
Cube	19.55 cu ft	
Power Supply	120 voltage nominal 12 amp VAC 50/60 Hz	
Watts	1400 W	

# STERILIZER SURGICAL DRESSING CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015408014	Included W/NSN	Pouch Rack	AR910	1	EA	\$43.79	\$43.79	GSS INC	Indef	N/A	2
6530015408023	Included W/NSN	Tray	CT620010	4	EA	\$65.55	\$65.55	GSS INC	Indef	N/A	2
6530015392908	Included W/NSN	Case, Hardened	HDD041805200	1	EA	\$851.65	\$851.65	GSS INC	Indef	N/A	2
7610015408195	Included W/NSN	Manual, Operato/Service	EMHC01.	1	EA	\$1.00	\$1.00	GSS INC	Indef	N/A	2

#### STIMULATOR, PERIPHERAL NERVE BLOCKADE TOC

### LIFE-TECH, INC MODEL # MS-IV

Distributor's PHONE: (540) 662-8000 FAX (540) 662-3803

Website: <a href="http://www.life-tech.com">http://www.life-tech.com</a>

AAC "W" ITEM NSN 6515-01-208-0576 AAC "J" ITEM NSN 6515-01-397-5212

UA's: 3267, 5267, F301, F309, N301, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$161.55

**Features:** The use of a peripheral nerve stimulator provides useful information:

- during operations in which non-depolarizing neuromuscular blocking agents are
  used to indicate the degree of blockade and thus the indication for additional
  doses of muscle relaxant.
- at the end of the operation to ensure that muscle power is fully restored by appropriate doses of neostigmine and atropine before consciousness is restored. It is very distressing to a conscious patient when neuromuscular blockade is incompletely reversed.
- Clinical indication of reversal of neuromuscular blockade is given by the patient's
  power in muscles supplied by the cranial nerves e.g. to open his eyes, put out his
  tongue, hold his head up, as well as to breathe adequately and to cough.
  Peripheral nerve stimulation may be helpful in assisting localization during nerve
  blocks with local analgesia.



### Life-Tech MS IV



**Life-Tech MS IV Characteristics** 

Dimensions	Height	4.2"
	Width	.8"
	Depth	2.4".
Voltage	9 VDC (battery)	
Weight	5 ounces	
Output Power	0 to 50 milliamperes maximum	
Twitch	2 pulses per second	
Tetanus	50 to 100 pulses per second	
Stimulus Pulse	.22 milliseconds, square wave monophasic	

### Life-Tech MS-IV ACCESSORIES AND CONSUMABLE (STARTUP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONUS Ship Time, weeks
See Resupply	See Resupply	Battery, 9 volt, non- rechargeable,		1	ΕA				Indef	N	2
6515015224238	Included W/NSN	Bipolar probe	DP- MTP	1	EA	\$24.45		Life-Tech, Inc.	Indef	N	2
6515015221838	Included W/NSN	2' Extension Leads with Alligator Clips	EL- 2MTP	1	EA	\$20.45		Life-Tech, Inc.	Indef	N	2

### Life-Tech MS-IV ACCESSORIES AND CONSUMABLE (RESUPPLY)

NSN	Nomenclature	PN	ОТҮ	IJ	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
- 1,221	Battery, 9 volt, non-						NEXTELL		2,2,	
6135009735632	rechargeable,	C512C	1	PG	\$12.48	\$12.48	SALES	Indef	N	2
		DP-					Life-Tech,			
6515015224238	Bipolar probe	MTP	1	EΑ	\$24.45	\$24.45	Inc.	Indef	N	2
	2' Extension Leads	EL-					Life-Tech,			
6515015221838	with Alligator Clips	2MTP	1	EΑ	\$20.45	\$20.45	Inc.	Indef	N	2

#### SUCTION APPARATUS SURGICAL PROGRAMMABLE TOC

### IMPACT INSTRUMENTATION INC MODEL # 326M

Manufacturer's Phone: (973)-882-1212 FAX: (973)-882-4993

Website: <a href="http://www.impactii.com">http://www.impactii.com</a>

AAC "W" ITEM NSN 6515-01-460-9174 AAC "J" ITEM NSN 6515-01-435-0050

UA's: 2249, 2256, 2257, 2259, 2261, 2264, 2267, 3249, 3256, 3257, 3261, 3264, 3267, 4905, 5249, 5256, 5257, 5261, 5264, 5267, 9300, 9306, F301, F305, F308, F309, F310, N301, N305, N308, N309, N310, N313, N316, N320, N513, N713

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$1,600.00

**System Description**: The Model 326 is a multifunction, continuous and programmable intermittent suction unit. Built around Impact's ultra-lite<sup>®</sup> vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power, and internal rechargeable batteries provide power for several hours of transport or emergency backup.



**IMPACT 326M** 



# IMPACT 326M PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	11.5"
	Width	9.5"
	Depth	4.87"
Weight		30 lbs, Unit 12 lbs
Operating		-4° F to 120° F
Temperature		
Humidity	Tested to level required	94±4%RH, 85° F±3.6° F
	for Air Worthiness	$(29.5^{\circ}C\pm 2^{\circ}C) \text{ f/ 4 hrs.}$
<b>Power Requirements</b>		115/230 V AC, 50-400 HZ,
		100 Watts, 2.5 Amps
		Steady State

### IMPACT 326M CONSUMABLES & ACCESSORIES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	Included	Assembly Auto Power						IMPACT			
6515015096877	W/NSN		708-0326-01	1	EA	\$20.21	\$20.21	INSTRUMENTS	N/A	N	2
6515015117035	Included W/NSN	Suction Hose 6 ft. long, clear, sterile	820-0018-00	1	EA	\$3.36	\$3.36	IMPACT INSTRUMENTS	N/A	N	2
6515015117034	Included W/NSN	Hose, Clear, PVC 18" Long	540-0055-00	2	EA	\$2.16	\$4.22	IMPACT INSTRUMENTS	N/A	N	2
6515015117023	Included W/NSN	Hose, Clear, PVC, 1' Long	540-0068-00	1	EA	\$0.63	\$0.63	IMPACT INSTRUMENTS	N/A	N	2
6515015117017	Included W/NSN	Hose, Clear, PVC, 2' Long	540-0051-00	2	EA	\$2.51	\$4.02	IMPACT INSTRUMENTS	N/A	N	2
6515015043306	Included W/NSN	AC/DC Power Supply	703-0326-06	1	EA	\$232.88	\$232.88	IMPACT INSTRUMENTS	N/A	N	2
6515015098638	Included W/NSN	Universal Canister Bracket	334-0030-00	2	EA	\$27.77	\$55.54	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	Included W/NSN	Collection Canisters, 1000cc Reusable	703-0326-07	2	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515015096967	Included W/NSN	Padded Case., 2 ea. Straps, Velcro	402-0017-00	1	EA	\$112.50	\$112.50	IMPACT INSTRUMENTS	N/A	N	2
6515015097331	Included W/NSN	Straps, Velcro	334-0020-00	2	EA	\$27.27	\$54.54	IMPACT INSTRUMENTS	N/A	N	2
6515015096977	Included W/NSN	Carry-All Case with Label	703-0326-16	1	EA	\$94.50	\$94.50	IMPACT INSTRUMENTS	N/A	N	2
6515011942187	Included W/NSN	Hydrophobic/Bacteriostatic Filters		2		\$9.45	\$18.90	IMPACT INSTRUMENTS	N/A	N	2
	Included W/NSN	Manual, Operation/Service		2		\$18.00	\$36.00	IMPACT INSTRUMENTS		N	2

### IMPACT 326M CONSUMABLES & ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
C5150140757C1	THE PLACE OF CHICAGO	250200266140	10	F.4	<b>0.4.47</b>	<b>0.50</b> 64	OWENS AND	27/4		_
6515014975761	TUBING, SUCTION	358388266148	12	EA	\$4.47	\$53.64	MINOR	N/A	N	2
6515011942187	FILTER DISPOSIBLE	465-0005-00	2	EA	\$8.28	\$49.68	IMPACT INSTRUMENTS	N/A	N	2
6515015039498	14FR. SUCTION CATHETER	820-0004-00	6	EA		\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515015039501	18FR. SUCTION CATHETER	820-0005-00	6	EA	\$1.58	\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515014493193	1200CC DISPOSABLE JAR	410-0004-10	1	10 PK	\$36.90	\$36.90	IMPACT INSTRUMENTS	N/A	N	2
6515014862077	CANISTER ASSY SUCT SURG PLASTIC 2000CC	494410	2	48/EA	\$205.00	\$410.00	MEDLINE INDUSTRIES INC	N/A	N	2
6515014441638	SUCTION AND IRRIGATION ASSEMBLY SURGICAL	207-559	6	PG	\$335.00	\$2,010.00	STRYKER CORP	N/A	N	2
6515012774772	TUBING SURGICAL 100FT	SIA8-230201	1	RO	\$11.00	\$11.00	Emery Medical Supply	N/A	N	2
6515015117034	Hose, Clear, PVC 18" Long	540-0055-00	2	EA	\$2.16	\$4.22	IMPACT INSTRUMENTS	N/A	N	2
6515015117023	Hose, Clear, PVC, 1' Long	540-0068-00	1	EA	\$0.63	\$0.63	IMPACT INSTRUMENTS	N/A	N	2
6515015117017	Hose, Clear, PVC, 2' Long	540-0051-00	2	EA	\$2.51	\$4.02	IMPACT INSTRUMENTS	N/A	N	2
6515015043306	AC/DC Power Supply	703-0326-06	1	EA	\$232.88	\$232.88	IMPACT INSTRUMENTS	N/A	N	2
6515015098638	Universal Canister Bracket	334-0030-00	2	EA	\$27.77	\$55.54	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	Collection Canisters, 1000cc Reusable	703-0326-07	2	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515011942187	Hydrophobic/Bacteriostatic Filters	465-0005-00	2	EA	\$9.45	\$18.90	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	REUSABLE COLLECTION JAR ASSEMBLY	703-0326-07	1	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515015117035	TUBE SUCTION SURGICAL 6 ft	820-0018-00	12	EA	\$2.70	\$2.70	IMPACT INSTRUMENTS	N/A	N	2

### TABLE OPERATING FIELD

### ARIZONA INDUSTRIES FOR THE BLIND

Manufacturer's PHONE: (602) 269-5131 FAX: (602) 269-9462

Website: <a href="http://www.de.state.az.us/aib/">http://www.de.state.az.us/aib/</a>

AAC "L" NSN: 6530-01-321-5592

LIN: T00578

UA's: 2267, 3267, 5267, 4905, 4912

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$5,586.00** 









### **INTRODUCTION**

The field operating table is manufactured by Arizona Industries for the blind at 3013 W Lincoln street Phoenix, AZ 85009-5699 Phone: (602) 269-5131 FAX: (602) 269-9462, the current cost for the unit is \$5,586.00 it is an AAC-L item and carries a LIN: T00578.

The field operating table is a portable type that is quickly assembled and is used for surgical procedures in the far forward operations, the table contains 2 adjustable 100 watt halogen surgical lights, there is no patient transfer required, patient remains on a litter that rests on the top of two rail assemblies.

The components are easily detached as needed from the table, the table measures 53 inches in length, 26 inches wide and 25 to 33 inches working height when assembled, the unit weight when unpacked from the container is 80 pounds, also the table is capable of using all military litters.

### **COMPONENT LIST**

### The OR table is issued with the following items:

QTY	ITEM DESCRIPTION	NSN
2	Right corner leg assemblies	6530-01-455-7585
2	Left corner leg assemblies	6530-01-455-7387
8	Extrusion bars	6530-01-455-7634
4	Rail assemblies	6530-01-455-7638
2	Mesh shelf assemblies	6530-01-453-9076
1	Vinyl drain pad	6530-01453-7698
2	Litter rails	6530-01-455-7642
1	Bag frame	6530-01-455-7646
1	Weld tray assembly	6530-010455-7653
2	Clamp assemblies	6530-01-455-7657
1	Tray clamp assembly	6530-01-455-7907
1	Support posts	6530-01-455-7662
1	Tray post	6530-01-455-7685
1	Guide weldment	6530-01-455-7690
2	Armboard assemblies	6530-01-453-7696
1	Tray-stand assembly	6530-01-455-7692
1	Tray instrument	6530-00-793-9570
2	Arm assemblies	6530-01-455-7695
3	IV poles	6530-01-455-7860
2	Strap assemblies	6530-01-455-7865
2	Halogen Lamp assemblies (surgical lights)	6240-01-455-7873
2	Wrenches for adjustment of the surgical lights	5120-01-455-7901
3	Lights (spare bulbs)	6240-01-463-7057
1	Reusable container	6530-01-432-3173

#### **CHARACTERISTICS**

Dimensions	Height .	33"
	Width	26"
	Depth	53"
Weight		80 lbs
<b>Storage Temperature</b>		-35° to 160°F
<b>Operating Temperature</b>		-35° to 160°F
Humidity		5-95%
(non-condensing)		
Power Requirements	120/230 volts, .625 amps	75 Watts


#### **ASSEMBLY INSTRUCTIONS**


The step by step instructions are provided to assist in assembly, part identification, and repackaging of the table back into the reusable storage container. To prepare the table for assembly do the following:

- 1. Open the storage container and remove the top tray and center tray from the container.
- 2. Complete an inventory of the Operating Table components.
- 3. Remove all of the components from the storage container.
- 4. During the removal of the Operating Table components inspect each item for damage.
- 5. When removing the Surgical Light assemblies use caution not to lay them where they could accidentally be knocked off and get damaged.

#### (NOTE)

Be very careful when handling the Surgical Lights if dropped there is a possibility that the circuit board in the arm assembly could get damaged.





The circuit board is located in the arm assembly of the surgical light.

JT 101 Circuit Board

To assemble and set up the operating table follow the instructions beginning on the next page.

### **ASSEMBLY INSTRUCTIONS**

Step 1: Obtain the 4 OR table legs.





Step 2: Obtain 4 of the short connecting rails.



Step 3: Attach the 4 short connecting rails to the end side of the table legs.



Step 4: Obtain the 4 remaining short connecting rails and the 4 long connecting rails.



Step 5: Connect the 4 long and the 4 short connecting rails together making 4 single long connecting rails.



Step 6: Attach the lower mesh shelf to the lower connecting rails.



Step 7: Attach the upper and lower connecting rails to the legs one end at a time.



Step 8: Attach the connecting bars to the remaining legs and the lower mesh shelf Velcro on each end of the OR table.



Step 9: Attach the drain pad to the upper connecting bars of the OR table.



Step 10: Attach the stretcher rails to the OR table.



Step 11: Attach the 2 clamps to the OR table side connecting bar.





Step 12: Obtain the 2 silver support posts and place into the 2 clamps.



Step 13: Obtain the arm board assemblies and place onto the support posts.



\*\*Upon completion of steps 11, 12, and 13 the OR table should appear as below.



Step 14: Obtain the tray clamp assembly and attach to the OR table upper rail on the opposite end of the arm boards.



Step 15: Obtain the tray post and insert into the clamp.



Setp16: Obtain the tray stand assembly and position onto the tray post.




Step 17: Obtain the tray and place on top of the tray stand assembly.



\*\*The OR table should appear as below at this point of assembly.



Step 18: Obtain the two arm assemblies and place into the end OR table upper legs.





Step 19: Obtain the IV poles and insert into the arm assembly.



Step 20: Obtain the surgical lights and insert into the arm assembly



\*\*At this point the OR table should appear as below.



Step 21: Obtain the bag frame assembly and attach to the end of the OR table.





Step 22: Obtain the tray assembly and insert onto the OR table end.





\*\*This completes the OR table set up. the OR table should appear as below.



### TABLE OPERATING FIELD ACCESSORIES (START-UP)

						1			1	
										CONUS
									Refrig	Ship Time,
NSN	INCL W/NSN	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Y/N	weeks
6530014557585	INCL W/NSN	Corner (R) Assembly	2	EA	40212	\$633.20	\$1266.40	Arizona Industries	N	
CE20014EE7297	INCL WAIGN	Como (I) According	2	EA	40212	0.621.52	¢1262.04	Arizona	N	
6530014557387	INCL W/NSN	Corner (L) Assembly	2	EA	40213	\$631.52	\$1263.04	Industries Arizona	N	
6530014557634	INCL W/NSN	23.62 Extrusion	8	EA	30373	\$21.28	\$170.24	Industries	N	
6530014557638	INCL W/NSN	Rail Assembly	4	EA	40217	\$100.04	\$400.16	Arizona Industries	N	
6530014539076	INCL W/NSN	Shelf	2	EA	60157	\$60.52	\$121.04	Arizona Industries	N	
0330014337070	INCE WINSIN	Sheh		Lit	00137	ψ00.32	ψ121.0 <del>+</del>	madsures	11	
C520014557C42	INCL W/NSN	D '1 A 11	2	E 4	20201	\$116.00	ra22 00	Arizona	N.T.	
6530014557642		Rail Assembly	2	EA	30381		\$232.00	Industries Arizona	N	
6530014557646	INCL W/NSN	Bag Frame	1	EA	30393	\$88.00	\$88.00	Industries	N	
6530014557653	INCL W/NSN	Tray Assembly (weld)	1	EA	30392	\$206.00	\$412.00	Arizona Industries	N	
6530014557657	INCL W/NSN	Clamp Assembly	2	EA	40220	\$352.22	\$704.44	Arizona Industries	N	
		•						Arizona		
6530014557907	INCL W/NSN	Tray Clamp Assembly	1	EA	40221	\$435.64	\$435.64	Industries Arizona	N	
6530014557662	INCL W/NSN	Support Post	2	EA	30354	\$35.72	\$71.44	Industries	N	
6530014557685	INCL W/NSN	Tray Post	1	EA	30391	\$97.20	\$97.20	Arizona Industries	N	
6530014557690	INCL W/NSN	Guide Weldment	1	EA	30388	\$68.48	\$68.48	Arizona Industries	N	
								Arizona		
6530014537696	INCL W/NSN	Armboard Assembly	2	EA	40218	\$154.68	\$309.36	Industries Arizona	N	
6530014557692	INCL W/NSN	Tray Stand Assembly	1	EA		\$138.64	\$138.64	Industries	N	
6530007939570	INCL W/NSN	Tray Instrument	1	EA	RRT006 36	\$113.24	\$113.24	Arizona Industries	N	
6520014557605	INCL W/NSN	Arm Assambly	2	EA	30379	\$82.28	\$164.56	Arizona	N	
6530014557695	INCL W/NSIN	Arm Assembly	2		30319	φο2.20		Industries Arizona	N	
6530014557860	INCL W/NSN	IV Pole	3	EA	40222	\$161.64	\$484.92	Industries Arizona	N	
6530014557865	INCL W/NSN	Strap	2	EA	30394	\$6.48	\$12.96	Industries	N	
6240014557873	INCL W/NSN	Halogen Lamps	2	EA	HAL-A- L-103-A	\$696.08	\$1392.16	Arizona Industries	N	
					6445DA			Arizona		
6240014637057	INCL W/NSN	Lamp Bulb	2	EA	X	\$32.00	\$64.00	Industries Arizona	N	
6530014537698	INCL W/NSN	DRAIN PAD	1	EA	60167 AL4024-	\$209.84	\$209.84	Industries	N	
					1305-	\$2066.00				
6530014323173	INCL W/NSN	Container, Storage	1	EA	10130- 200		\$2066.00	Arizona Industries	N	
6530014323173	INCL W/NSN	Container, Storage	1	EA			\$2066.00		N	

#### COMPONENT DESCRIPTIONS

Corner (R) Assembly 2 each, Part Number 40212 NSN: 6530-01-455-7585



23.62 Extrusion 8 each, Part Number: 30373 NSN:6530-01-455-7634



Shelf 2 each, Part Number: 60157 NSN: 6530-01-453-9076




Corner (L) Assembly 2 each, Part Number 40213 NSN: 6530-01-455-7387



Rail Assembly 4 each, Part Number: 40217 NSN: 6530-01-455-7638



Rail Assembly 2 each, Part Number: 30381 NSN: 6530-01-455-7642




Bag Frame
1 each, Part Number: 30393



Clamp assembly 2 each, Part Number: 40220 NSN:6530-01-455-7657



Support Post 2 each, Part Number: 30354 NSN: 6530-01-455-7662



Tray Assembly (weld)
1 each, part Number: 30392
NSN: 6530-01-455-7653



Tray Clamp Assembly 1 each, Part Number: 40221 NSN:6530-01-455-7907



Tray Post 1 each, Part Number: 30391 NSN: 6530-01-455-7685




Guide Weldment 1 each, Part Number: 30388 NSN: 6530-01-455-7690



Tray Stand Assembly 1 each, Part Number: 40219 NSN: 6530-01-455-7692



Arm Assembly 2 each, Part Number: 30379 NSN: 6530-01-455-7695



Armboard Assembly 2 each, Part Number: 40218 NSN: 6530-01-453-7696



Tray Instrument 1 each, Part Number: 9570 NSN: 6530-00-793-9570



IV Pole 3 each, Part Number: 40222 NSN: 6530-01-455-7860



Strap 2 each, Part Number: 30394 NSN: 6530-01-455-7865



Wrench 2 each, Part Number: 20404 NSN:5120-01-455-7901



Halogen Lamps 2 each, Part Number: 64450AX NSN: 6240-01-455-7873



Lamp Bulb 2 each, Part number: 75W/12V-GY6.35 NSN: 6240-01-463-7057



Drain Pad 1 each, Part Number: 60167 NSN: 6530-01453-7698



### The Storage Container NSN: 6530-01-432-3173

The table when disassembled stores into a reusable carrying container that weighs approximately 200 pounds when packed. The cost of the storage container is \$1098.00.



STORAGE CONTAINER



**TOP TRAY** 



CENTER TRAY



**BOTTOM BASE CUSHION** 



The container has custom made inserts to cushion the components and accessories of the operating table and should not be removed.

### **NOTE**


(This is a Custom made Storage Container for the storage of the operating table only).

### **DISASSEMBLY AND REPACKING INSTRUCTIONS**

To disassemble the operating table reverse the order in which the table was assembled. Again, exercise care to ensure that fragile components are not damaged as the table is disassembled. Before inserting the components of the table back into the case make sure that each component is thoroughly cleaned.

Note that the case is manufactured with trays each having inserts for each component of the table built directly into them. By replacing the components into the proper insert each will be protected during transport. Beginning on the next page are illustrations of each tray indicating exactly where each component is to be inserted so that maximum protection for each item is provided.


### TOP TRAY LAYOUT



Item No.	Description	
1	Bulbs	
$2^{1}$	Shelf	
3	Rail Assembly	
4	Armboard Assembly	
5	Lights, Reynolds Mach and Tool, Melrose, IL 60160	

Note that item #2 is in the tray insert beneath item #4


# **CENTER TRAY LAYOUT**



Item No.	Description
1	Arm Assembly
2	Tray Assembly
3	Bag Frame Assembly
4	20.62 Extrusion
5 <sup>1</sup>	Support Post
6	Clamp Assembly
7	Wrench
8	Guide Weldment
9	Rail
10	Clamp Assembly
11	Tray Post
12	Straps
A	A clamp fits into each insert marked with an "A"

Note that items 5 and 11 fit into the same insert

# **BOTTOM CUSHION INSERT LAYOUT**



Item No.	Description								
1	Corner Assembly, Right Side								
2	Corner Assembly, Left side								
3	I.V. Poles, 3 each								
4	Tray Clamp Assembly								
5	Tray Stand Assembly								
6	Tray, NSN 6530-00-793-9570								

#### THERMOMETER, TYMPANIC \_\_TOC

#### ALARIS MEDICAL MODEL 2090

Manufacturer's Phone: (858) 458-6003 FAX:(858) 458-7507 Website: <a href="http://www.alarismed.com/products/monitoring.shtml">http://www.alarismed.com/products/monitoring.shtml</a>

#### AAC"L" ITEM NSN 6515-01-440-5976

UA's: 2267, 3267, 5267

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$421.00

**System Description:** The CORE-CHECK® Tympanic Thermometer System package includes thermometer unit with backlight, temperature indicator light, one 9-volt battery, probe cover dispenser, mountable home base security system, and probe cover sleeve holder.



#### ALARIS 2090 PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions, in.	Height	2.5"
	Width	16.0"
	Depth	9"
Weight	8oz	
<b>Operating Temperature</b>	60° to 110°F	
Storage	-32° to 140°F	
Temperature		
Humidity	15 to 90 % non	
	condensing	
<b>Power Requirements</b>	9 volt alkaline	

# **ALARIS 2090 CONSUMABLES (START-UP)**

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
			022					NETEX			
6135009735632	In The UA	Battery 9 volt	6	8	EA	\$12.48	\$12.48	SALES		N	2
		Cover, Thermometer			5000			Alaris			
6515013479447	In The UA	Probe Disposable	P90	1	PG	\$277.99	\$277.99	Medical		N	2

# ALARIS 2090 CONSUMABLES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
		022					NETEX			
6135009735632	Battery 9 volt	6	1	EA	\$12.48	\$12.48	SALES		N	2
	Cover, Thermometer			5000			Alaris			
6515013479447	Probe Disposable	P90	1	PG	\$277.99	\$277.99	Medical		N	2

## TOURNIQUET SYSTEM PNEUMATIC

## **TOC**

#### ZIMMER INC. MODEL A.T.S. 1200

Manufacturer's PHONE: (305) 364-0888 ext. 745 (305) 364-0877


Website: <a href="http://www.zimmer.com">http://www.zimmer.com</a>

#### ACC "L" ITEM NSN 6515-01-481-0925

UA's: 2267, 3267, 5267, N301, F301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$4,600.00** 



#### **CHARACTERISTICS**

Dimensions	Height , in.	12.5
	Width, in.	10.25
	Depth, in.	8.1
Weight, lb.		8
Storage Temperature		50° to 100°F
Operating Temperature		50° to 100°F
Humidity (no condensing)		10-80%
Power Requirements	53 Watts	100-220 VAC 50/60 HZ, 220/240 50 HZ, .482 amps Sealed lead acid battery pack; AUTO SWITCHING Battery 12 vdc rechargeable sealed lead acid 2.3 amp
		hrs.

# AUTOMATIC TOURNIQUET ACCESSORIES 7 REUSABLE CUFFS



# TOURNIQUET ACCESSORIES/CONSUMABLES START-UP

NSN	NOTES	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, months	Refr ig Y/N	CONU S Ship Time, weeks
6515014671932	Included W/NSN	Connecting Hose Blue	1	EA	60-2790-002-00	\$52.57	\$52.57	Zimmer Inc	N	N	2
6515014671933	Included W/NSN	Connecting Hose Red	1	EA	602790001	\$52.57	\$52.57	Zimmer Inc	N	N	2
6515015232779	Included W/NSN	8 in single port, single bladder reusable cuff	1	EA	607600001	\$121.14	\$121.14	Zimmer Inc	N	N	2
6515014863148	Included W/NSN	12 in single port, single bladder reusable cuff	1	EA	607600002	\$128.00	\$128.00	Zimmer Inc	N	N	2
6515014863147	Included W/NSN	18 in single port, single bladder reusable cuff	1	EA	607600003	\$114.00	\$114.00	Zimmer Inc	N	N	2
6515014611543	Included W/NSN	24 in single port, single bladder reusable cuff	1	EA	607600004	\$162.29	\$162.29	Zimmer Inc	N	N	2
6515015230990	Included W/NSN	30 in single port, single bladder reusable cuff	1	EA	607600005	\$173.00	\$173.00	Zimmer Inc	N	N	2
6515014611545	Included W/NSN	34 in single port, single bladder reusable cuff	1	EA	607600006	\$184.00	\$184.00	Zimmer Inc	N	N	2
6515014666528	Included W/NSN	42 in single port, single bladder reusable cuff	1	EA	607600007	\$201.14	\$201.14	Zimmer Inc	N	N	2
6515015232826	Included W/NSN	Tourniquet Stand	1	EA	604022001	\$441.14	\$441.14	Zimmer Inc	N	N	2
6515015232821	Included W/NSN	Basket	1	EA	601908001	\$147.43	\$147.43	Zimmer Inc	N	N	2
7610015224222	Included W/NSN	Manual	1	EA	62172510100	N\C	N∖C	Zimmer Inc	N	N	2
7610015224220	Included W/NSN	Video	1	EA	97075002100	N\C	N∖C	Zimmer Inc	N	N	2
6140015232806	Included W/NSN	Battery	1	EA	60075000002	\$121.00	\$121.00	Zimmer Inc	N	N	2

#### PERFORMS BEST UNDER PRESSURE

The A.T.S. 1200 Tourniquet System addresses the most important concerns in tourniquet system design, providing the features that health care facilities demand for safety, reliability, and convenience.

Low-profile cuffs stay in place without discomfort. Select reusable cuffs or disposable sterile cuffs to eliminate cross-contamination. Cuff sleeves help reduce wrinkles, pinching, and shearing of soft tissue.

Positive-locking connectors supply safer, leak-free inflation. Angled ports keep connectors clear of the surgical site.

Visual and audio alarms readily detect pressure variations. Lightweight portable unit can be mounted on an I.V. pole or placed on a table 45-minute battery backup to help ensure continuous power.

Lightweight portable unit can be mounted on an I.V. pole or placed on a table 45-minute battery backup to help ensure continuous power.

#### ULTRASOUND, PORTABLE 180 SONOSITE SYSTEM TOC

#### SONOSITE, INC MODEL 180Plus

Manufacturer's PHONE: (425) 951-1243 FAX (801) 751-1135

Website: <a href="http://www.sonosite.com/content/view/37/185/">http://www.sonosite.com/content/view/37/185/</a>

AAC "W" ITEM NSN 6525-01-507-0073 AAC "J" ITEM NSN 6525-01-503-7182

UA's: 2267, 4901, 4905, 5267

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 PRICE: 36,462.98

**System Description**: Lightweight portable diagnostic ultrasound device used to assist in the detection of Rapid triage and assessment of trauma (FAST), visualization of abdominal fluid collection, evaluation of pericardial or pleural effusions and tamponade, immediate assessment of pelvic pain and abnormal uterine bleeding, rapid evaluation of acute abdominal pain (kidney, cholelithiasis), and easy emergency obstetric exams (IUP, fetal viability)

**Operator Familiarization:** CD-ROM is available.

#### **CLINICAL APPLICATIONS**

Abdominal

Vascular

**Breast** 

Obstetrical

Pediatric/Neonatal

**Intraoperative Procedures** 

**Interventional Procedures** 


Cardiac

**Prostate** 

**Small Parts** 

Gynecological


Musculoskeletal



# ULTRASOUND PHYSICAL AND ENVIRONMENTAL SPECIFICATION

Dimensions	Height	13.3 inches
	Width	7.6 inches
	Depth	2.5 inches
	Cube	0.14cuft
Weight		5.4 lbs
Power Requirements		12 VDC or 120 VAC
Battery Life		1.5hrs – 4.0hrs fully charged
Battery characteristics		Lithium Ion





MENU SELECT CONTROLS FIGURE 1




#### **NEAR/FAR/GAIN AJUSTORS FIGURE 2**




#### MENU, DEPTH AND ZOOM FIGURE 3



TRACKBALL FIGURE 4




#### PATIENT BUTTON FIGURE 5



#### ARROW AND FREEZE KEYS FIGURE 6



LCD CONTROLS FIGURE 7



Number	Feature	Number	Feature
1	power switch, located on the rear of the system handle	10	battery charge indicators
2	near, affects gain of shallow echoes	11	LCD (liquid crystal display) brightness control
3	far, affects gain of deeper echoes	12	LCD contrast control
4	gain, affects overall gain	13	LCD
5	menu select controls	14	Print/VCR or Print key
6	Menu, Depth, and Zoom	15	Cine Arrow keys and Freeze key
7	trackball	16	mode controls
8	Patient	17	battery release
9	Function key		

# ULTRASOUND CONSUMABLES AND ACCESSORIES

# **Package Order for FST and Vet Sets only**

Hand-Carried Ultrasound Systems:		PART NO.	PRICE	QTY
Transducers (C1 products):	<b>NOTE:</b> Transducers on this price list have the current version software and the existing customer system may require an update to ensure transducer compatibility.			
SonoSite 180 PLUS & ELITE Fourth Generation (1.99)	Portable ultrasound system includes: display module, 2D Grayscale, color power Doppler (CPD) and directional color power Doppler (DCPD) capability, M-mode, PC Direct connectivity capability (w/ SiteLink & PC Direct Serial Cable ordered separately). Also includes battery, universal AC power supply, external video and printer cables, ultrasound gel, and user guides.			
	180PLUS Does not support Continuous Wave (CW) Doppler.	L02464	\$8036.00	1
C15 e / 4–2, micro- curved array transducer	15-mm, broadband (4 - 2 MHz) micro-curved array for thoracic and abdominal applications. Provides 2D Grayscale, CPD or DCPD (depending on exam type), CW, PW, M-mode, and ERH. 5.5 ft (1.7m) cable and pinless connector. Not compatible with non-1.99 systems.	P02461	\$8610.00	1
C60 / 5–2, curved array transducer	60-mm, broadband (5 - 2 MHz) curved array for abdominal, obstetric, and gynecologic applications. Provides 2D Grayscale, CPD, DCPD, PW, M-mode, and THI. 5 ft (1.5 m) cable and pinless connector. Compatible with biopsy guide part number P01882. Some early first generation SonoSite systems (1.5X with ARM < 02.80.006.014) require system software upgrade module (no charge) to ensure compatibility. Contact SonoSite Customer Support prior to ordering for additional details.	P02115	\$4510.00	1
L38 / 10-5, linear array transducer	38-mm, broadband (10 - 5MHz) linear array for breast, small parts, vascular, and musculoskeletal applications. Provides 2D Grayscale, CPD, PW, and M-mode. 5.5 ft. (1.7 m) cable and pinless connector. Compatible with biopsy guide part number P01300. Not compatible with 1 <sup>st</sup> generation systems.	P04101	\$8610.00	1

ICT / 7–4, intracavitary array transducer	11-mm, broadband (7 - 4 MHz) intracavitary array for gynecologic, obstetric and urologic applications. Provides 2D Grayscale, CPD, PW, and M-mode. 5 ft (1.5m) cable and pinless connector. Compatible with biopsy guide part number P01869. Not compatible with 1 <sup>st</sup> generation systems.	P02450	\$4510.00	1
Battery – PLUS/ELITE	11.1 volt, 3.0 amp-hour rechargeable lithium-ion battery.	P00049	\$324	1
SiteCharge® dual battery charger	Desktop charger used to recharge two system batteries at a time. Recommended for heavy battery use environments.	L00552	\$492	
Sonosite Military Hard Case		P03808	\$656.00	

## 180 PLUS RESUPPLY CONSUMABLES

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, mont hs	Refrig Y/N	CONUS Ship Time, weeks
6515015046163	Latex Probe Cover	610- 214	1	50/ PG	\$156.00		Civco Medical Instruments	N	N	2
6515012317249	Transmission Gel Ultrasound0.25 liter	01-08	1	12s/PG	\$31.84	\$31.84	Parker Labs Inc.	N	N	2

# 3.5 x 20cm Latex Covers

These latex transducer covers are individually packaged with colored elastic bands in easy-to-open perforated bags. Conveniently packaged in a compact box, the covers offer an effective means to protect equipment, patients and professionals from the risks of cross-contamination.

Ref.#	Product Description	Qty.
610-214	Sterile 3.5 $\times$ 20cm (1.4" $\times$ 7.9") latex cover	50
610-010	Non-sterile 3.5 $\times$ 20cm (1.4" $\times$ 7.9") latex cover	50



# 180 PLUS ACCESSORY START-UP


NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	Included W/NSN	SONOSITE 180 PLUS	P02522	1	EA	\$8036.00	\$8036.00	SONOSITE	N	N	3
6525015023728	W/NSN		P02461	1	EA	\$8610.00	\$8610.00	SONOSITE	N	N	3
6525015023739	W/NSN		P02115	1	EA	\$4510.00	\$4510.00	SONOSITE	N	N	3
6525015036742	W/NSN		P04101	1	EA	\$8610.00	\$8610.00	SONOSITE	N	N	3
6525015023739	W/NSN		P02450	1	EA	\$4510.00	\$4510.00	SONOSITE	N	N	3
		Battery – PLUS/ELITE	P00049	2	EA	\$324.00	\$648.00	SONOSITE	N	N	3
6130014902678	W/NSN		L00552	1	EA	\$492.00	\$492.00	SONOSITE	N	N	3
6515015219530		Sonosite Military Hard Case	L03808	1	EA	\$820.00	\$820.00	SONOSITE	N	N	3
	W/NSN	Transmission Gel Ultrasound0.25 liter	01-08	1	EA			Parker Labs Inc.	N	N	3
7610015436723	W/NSN	C1.99 PLUS and ELITE ultrasound system Service Manual	P02913	2	EA	\$28.70	\$57.40	SONOSITE	N	N	3
7610015437003	W/NSN		P02614	2	EA	\$28.70	\$57.40	SONOSITE	N	N	3
Required	W/NSN	Sonosite Ultrasound System Quick Reference Guide	P02813	1	EA	\$20.50	\$20.50	SONOSITE	N	N	3
Seperately	W/NSN	Sonosite Ultrasound System User Guide Supplement	P05020	1	EA			SONOSITE	N	N	3
Seperately	W/NSN			1	EA			SONOSITE	N	N	3
	W/NSN		P00809	1	EA			SONOSITE	N	N	3
		Power Cord	P00848	2	EA	\$16.40	\$32.80	SONOSITE	N	N	3
6525015131550	W/NSN	Power Supply, 85-264 VAC, 50/60 Hz, 16VDC 45 Watts	L00538	2	EA	\$77.90	\$155.80	SONOSITE	N	N	3
		Cable Printer, Control	P00537	1	EA	\$24.60	\$24.60	SONOSITE	N	N	3
NO NSN Required		Cable, RCA/BNC, Video	P00536	1	EA	\$28.70	\$28.70	SONOSITE	N	N	3
6515015084541	Included W/NSN	Cable, Serial, PC Direct	P02046	1	EA	\$82.00	\$82.00	SONOSITE	N	N	3



SONOSITE, ULTRASOUND MODEL 180Plus WITH HARDENED CASE

# A full line of broadband transducers

SonoSite manufactures a variety of high-quality broadband transducers. They are lightweight, ergonomically designed for optimal user comfort, rugged and feature rapid, pinless connectors.



## L38/10-5 38-mm broadband linear array

#### **Clinical Applications**

- Small parts imaging: thyroid, testicular, and musculoskeletal
- Breast
- Vascular

#### Ultrasound guided procedures:

Line placements, biopsies, drainage procedures

#### Imaging Modes:

2D, M-mode, Color Power Doppler, Pulsed Wave Doppler (option)

#### **Physical Characteristics**

Frequency: broadband 10-5 MHz

Maximum Depth: 7 cm

Maximum Field of View: 38 mm

Aperture: 38 mm

#### Biopsy guide:

for 14-23 gauge needles with depth range from 0.7-3.4 cm

# C15/4-2

#### 15-mm broadband array transducer

#### **Clinical Applications**


- Adult cardiac
- General-purpose abdominal
- Trauma Assessment (F.A.S.T. exam)
- General Imaging: abdominal and thoracic

#### Imaging Modes:

2D, M-mode, Color Power Doppler, PowerMap Directional Color Power Doppler in cardiac settings, Pulsed Wave Doppler (option), Tissue Harmonic Imaging (option)

#### **Physical Characteristics**

Frequency: broadband 4-2 MHz Maximum Depth: 24.6 cm Maximum Field of View: 101°



# C60/5-2

60-mm broadband curved array

#### **Clinical Applications**

- General-purpose abdominal
- Obstetric
- Gynecologic

#### Imaging Modes:

2D, M-mode, Color Power Doppler, PowerMap Directional Color Power Doppler, Pulsed Wave Doppler (option), Tissue Harmonic Imaging (option)

#### **Physical Characteristics**

Frequency: broadband 5-2 MHz Maximum Depth: 22 cm Maximum Field of View: 57°

## ICT/7-4 11-mm broadband intercavitary array

#### **Clinical Applications**

- Gynecologic
- Obstetric
- Urologic

#### Ultrasound Guided Procedures:

Tissue sample retreival

#### Imaging Modes:

2D, M-mode, Color Power Doppler, Pulsed Wave Doppler, Pulsed Wave Doppler (optional)

#### **Physical Characteristics**

Frequency: broadband 7-4 MHz Maximum Depth: 10.4 cm Maximum Field of View: 135°

#### **Biopsy Guide:**

for 16-18 gauge needles with depth range from 0.5-7.0 cm



#### VAPORIZER ANESTHESIA DRAWOVER TOC

#### DATEX-OHMEDA MODEL: DRAWOVER

Manufacturer's PHONE: (608) 221-1551 FAX: (608) 221-4383

Website: http://www.datexohmeda.com

AAC "W" ITEM: 6515-01-289-9820 AAC "J" ITEM: 6515-01-355-6479

UA's: 2257, 2267, 3257, 3267, 5267, 9300, 9301, 9302, 9303, 9304, 9305, 9306, F308, F309, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$6146.08** 

**System Description**: Simple, rugged, lightweight, draw over anesthesia device with a calibrated, temperature-compensated, flow-over (with wick), low resistance vaporizer. The vaporizer is designed for use in non-rebreathing type circuits and is classified as "agent non-specific".

**Tests performed:** All anesthesia cases with a single agent vaporizer.





# DRAWOVER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	15"
	Width	9"
	Depth	9"
Weight	5 lb	
<b>Operating Temperature</b>		
	65°F-95°F	




# **DRAWOVER CONSUMABLES (START-UP)**

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refri g Y/N	CONU S Ship Time, weeks
		ISOFLURANE USP 100ML BOTTLE							24		
	Order Prior to	6 BOTTLES PER	NDC00074-					ABBOTT	MONT		
6505014437083	Deployment	PACKAGE	3292-01	1	6\PG	\$121.00	\$121.00	LABS	HS	N	2
6515013531068	Included W/NSN	Thermal vent 600 HME Filter	580011	1	50 PG	\$167.99	\$167.99	Sims Portex	Indef	N	2
		HUMIDIFIER HCH/HME 300- 1200ML									
		BACT/VIRAL			20			Hudson			
6515015227134	Included W/NSN	FILTER	19932	1	BX	\$185.05	\$185.05	RCI	Indef	N	2
6505006873564	In The UA	SODA LIME NF 37LB (16.79 KG)	SODASOR B	1	37/ LB	\$690.41	\$690.41	Grace WR	24	N	3
6505014979961	In The UA	SEVOFLURANE 250 ML BOTTLE	ULTANE	10	ВТ	\$150.57	\$150.57	ABOTT	24	N	3

# DRAWOVER ACCESSORIES (START-UP)

NOTES	Nomenclature	PN	QTY		Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
T. The IIA	Ellen Annellenin Huit	DD 50T	1	50/	¢277.01	¢267.01	D-11 C	T., J. C	NT/A	2
In The UA	Filter Anestnesia Unit	BB-301	1	PG	\$207.01	\$207.01	Pall Corp	Indei	N/A	2
Included W/NSN	Operation and Maintenance Manual	1101-0001- 000	01	01	\$3.85	\$3.85	Datex- Ohmeda	Indef	N/A	2
Included W/NSN	Adult ventilation valve 1600 ml	8701-00	01	EA	\$135.95	\$135.95	Laerdal	Indef	N	2
Included W/NSN	Intake valve	5104-00	01	EA	\$35.50	\$35.50	Laerdal	Indef	N	2
Included W/NSN	Non-rebreather patient valve IV	5602-00	1	EA	\$50.00	\$50.00	Laerdal	Indef	N	2
Included W/NSN	Expiration diverter 30 mm	8505-00	1	EA	\$22.50	\$22.50	Laerdal	Indef	N	2
Included W/NSN	Scavenging connector	8510-00	1	EA	\$14.25	\$14.25	Laerdal	Indef	N	2
Included W/NSN	Manometer connector	8509-00	1	EA	\$9.50	\$9.50	Laerdal	Indef	N	2
Included W/NSN	Extension tube 28 cm	8710-00	1	EA	\$27.50	\$27.50	Laerdal	Indef	N	2
Included W/NSN	Child ventilation bag 500 ml	8601-00	1	EA	\$118.95	\$118.95	Laerdal	Indef	N	2
Included W/NSN	Non-rebreathing valve IV infant	8512-00	1	EA	\$61.75	\$61.75	Laerdal	Indef	N	2
Included W/NSN	Complete breathing circuit (Kit, Drawover Vaporizer)	1101-7009- 000	1	EA	\$770.00	\$770.00	Datex- Ohmeda	Indef	N	2
Included W/NSN	AMBU-E2 Non- rebreathing valve	000-097- 000	1	EA	\$107.00	\$107.00	AMBU USA	Indef	N	2
Included W/NSN	15 mm ID x 15 mm OD	H-1173	1	FΔ	\$15.75	\$15.75	Gary Hull Anesthesi	Indef	N	2
	In The UA  Included W/NSN  Included W/NSN	In The UA  Filter Anesthesia Unit  Operation and Maintenance Manual Adult ventilation valve 1600 ml  Included W/NSN  Intake valve Non-rebreather patient valve IV  Expiration diverter 30 mm  Included W/NSN  Included W/NSN  Included W/NSN  Manometer connector  Included W/NSN  Extension tube 28 cm Child ventilation bag 500 ml  Non-rebreathing valve IV  Included W/NSN  Included W/NSN  Included W/NSN  Included W/NSN  AMBU-E2 Non- rebreathing valve Included W/NSN  Included W/NSN	In The UA  Filter Anesthesia Unit  Operation and Maintenance Manual  Adult ventilation valve 1600 ml  Included W/NSN  Intake valve  Non-rebreather patient valve IV  Expiration diverter 30 mm  Included W/NSN  Included W/NSN  Included W/NSN  Scavenging connector  Included W/NSN  Included W/NSN  Included W/NSN  Extension tube 28 cm  Child ventilation bag 500 ml  Included W/NSN  Included W/NSN  Included W/NSN  Included W/NSN  Included W/NSN  Extension tube 28 cm  Non-rebreathing valve Included W/NSN  Included	In The UA	In The UA	In The UA	NOTES	NOTES	NOTES	NOTES

# INDIVIDUAL ITEMS LOCATED IN THE 1101-7009-000 KIT NSN 6515-01-525-2767



#### VENTILATOR VOLUME PORTABLE

#### IMPACT INSTRUMENTATION INC MODEL 754M

Manufacturer's PHONE: (973) 882-1212, FAX: (973) 882-4993

Website: http://www.impactii.com


AAC "W" ITEM NSN 6530-01-431-5146 AAC "J" ITEM NSN 6530-01-464-0267

UA's: 2257, 2267, 3257, 3267, 5257, 5267, 9300, 9301, 9302, 9304, 9305, 9306, F308 F309, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$10,732.56** 

**Operator Familiarization:** CD-ROM is available.




#### **ADVANTAGES**

- 1. Interactive Demo/Teaching Mode.
- 2. Operation Accomplished in as few as 3 steps.
- 3. Full altitude compensation.
- 4. Internal PEEP.
- **5.** On-board emergency backup ventilator.
- 6. Automatic LCD backup lighting.

#### 754M PORTABLE VENTILATOR SPECIFICATIONS

Dimensions	Height	11.5"	
	Width	8.87"	
	Depth	4.5"	
Weight		13 lbs	
Operating			
Temperature		-13°F-120° F	
Humidity		5% to 95%	
<b>Power Requirements</b>	Battery, 6VDC,	115/230VAC=/- 10%,	16-30Volts (DC-DC
	5 Amp Hours	50-400HZ 100 WATTS	Converter), neg
			ground



# IMPACT 754M ACCESSORY/CONSUMABLES / START-UP

NSN	INCL.W NSN	Nomenclature	QTY	UI	PART#	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
See Resupply	INCL.W/NSN	VENTILATOR CIRCUIT DISPOSABLE/SINGLE PATIENT USE		EA	820-0067-00			IMPACT INST	Indef	N	2
4720013829231	INCL.W/NSN	HIGH PRESSURE OXYGEN HOSE	01	EA	825-0002-00	\$15.28	\$15.28	IMPACT INST	Indef	N	2
6530015193018	INCL.W/NSN	HIGH PRESSURE AIR HOSE	01	EA	825-0004-00	\$25.63	\$25.63	IMPACT INST	Indef	N	2
6130014688360		UNIVERSAL AC POWER SUPPLY	01	EA	703-0754-09	\$625.50	\$625.50	IMPACT INST	Indef	N	2
6530015192814	INCL.W/NSN	12 VDC POWER CABLE	01	EA	703-0754-03	\$123.98	\$123.98	IMPACT INST	Indef	N	2
6545015190169	INCL.W/NSN	CASE, PADDED	01	EΑ	402-0014-00	\$150.00	\$150.00	IMPACT INST	Indef	N	2
6515015097331	INCL.W/NSN	STRAP, VELCO 24 IN. LONG	02	EA	334-0020-00	\$20.00	\$40.00	IMPACT INST	Indef	N	2
7610015189213	INCL.W/NSN		02	EA	906-0754-02	\$50.00	\$50.00	IMPACT INST	Indef	N	2
7610015220841	OPTIONAL	INSTRUCTIONAL VIDEO INSTRUCTIONAL	01	EA	903-0754-02	\$15.00	\$15.00	IMPACT INST	Indef	N	2
6515015045417	INCL.W/NSN		01	25/	909-0754-04	N/C \$66.82	N/C \$133.64	IMPACT INST	Indef Indef	N N	2

# **IMPACT 754M COMSUMABLES RESUPPLY**

NSN	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	HCH, ADULT FILTERED						IMPACT			
6515015045417	BACT/VIRAL	2	25pg	003005	\$66.82	\$133.64	INST	Indef	N	2
6530015185060	OXYGEN RESERVOIR KIT			820-097-15	\$189.00	\$189.00	IMPACT INST	Indef	N	2
6515014661195	VENTILATOR CIRCUIT DISPOSABLE/SINGLE PATIENT USE	1	15/PG	820-0067-15	\$80.00	\$80.00	IMPACT INST	Indef	N	2